

Round Bar



Grades: 303, 304, 304L, 316, 316L, 2205, 253MA, SAF2507

Unit of Supply:
4m / 6m ≤ 30 mm, 1m ≥ 30 mm

Certification: Acc. to
ASTM A276/ A479

BRS Metric

Product Code	Grade	Product Size (mm)	Description	kg/m
G303				
BRS006G303+0400	G303	6mm	ROUND BAR G303 CD H9 ASTM A582	0.23
BRS008G303+0400	G303	8mm	ROUND BAR G303 CD H9 ASTM A582	0.41
BRS010G303+0400	G303	10mm	ROUND BAR G303 CD H9 ASTM A582	0.63
BRS016G303+0400	G303	16mm	ROUND BAR G303 CD H9 ASTM A582	1.63
G304				
BRS003G304H9+0400	G304	3mm	ROUND BAR G304 CD H9 ASTM A276/A479	0.06
BRS004G304H9+0400	G304	4mm	ROUND BAR G304 CD H9 ASTM A276/A479	0.10
BRS005G304H9+0400	G304	5mm	ROUND BAR G304 CD H9 ASTM A276/A479	0.16
BRS006G304H9+0400	G304	6mm	ROUND BAR G304 CD H9 ASTM A276/A479	0.23
BRS008G304H9+0400	G304	8mm	ROUND BAR G304 CD H9 ASTM A276/A479	0.41
BRS010G304H9+0400	G304	10mm	ROUND BAR G304 CD H9 ASTM A276/A479	0.64
BRS012G304H9+0400	G304	12mm	ROUND BAR G304 CD H9 ASTM A276/A479	0.92
BRS016G304H9+0400	G304	16mm	ROUND BAR G304 CD H9 ASTM A276/A479	1.63
BRS018G304H9+0400	G304	18mm	ROUND BAR G304 CD H9 ASTM A276/A479	2.06
BRS020G304H9+0400	G304	20mm	ROUND BAR G304 CD H9 ASTM A276/A479	2.55
BRS025G304LH9+0400	G304	25mm	ROUND BAR G304 CD H9 ASTM A276/A479	3.98
BRS030G304LH9+0100	G304L	30mm	ROUND BAR G304L H9 ASTM A276/A479	5.73
BRS030G304LK12+0100	G304L	30mm	ROUND BAR G304L K12 ASTM A276/A479	5.73
BRS035G304LK12+0100	G304L	35mm	ROUND BAR G304L K12 ASTM A276/A479	7.80
BRS035G304LH9+0100	G304L	35mm	ROUND BAR G304L H9 ASTM A276/A479	7.75
BRS040G304LH9+0100	G304L	40mm	ROUND BAR G304L H9 ASTM A276/A479	10.05
BRS040G304LK12+0100	G304L	40mm	ROUND BAR G304L K12 ASTM A276/A479	10.19
BRS045G304LK12+0100	G304L	45mm	ROUND BAR G304L K12 ASTM A276/A479	12.90
BRS050G304LK12+0100	G304L	50mm	ROUND BAR G304L K12 ASTM A276/A479	15.92
BRS055G304LK12+0100	G304L	55mm	ROUND BAR G304L K12 ASTM A276/A479	19.27
BRS060G304LK12+0100	G304L	60mm	ROUND BAR G304L K12 ASTM A276/A479	22.93
BRS065G304LK12+0100	G304L	65mm	ROUND BAR G304L K12 ASTM A276/A479	26.91
BRS070G304LK12+0100	G304L	70mm	ROUND BAR G304L K12 ASTM A276/A479	31.21
BRS075G304LK12+0100	G304L	75mm	ROUND BAR G304L K12 ASTM A276/A479	35.83
BRS080G304LK12+0100	G304L	80mm	ROUND BAR G304L K12 ASTM A276/A479	40.77
BRS085G304LK12+0100	G304L	85mm	ROUND BAR G304L K12 ASTM A276/A479	46.02
BRS090G304LK12+0100	G304L	90mm	ROUND BAR G304L K12 ASTM A276/A479	51.59
BRS095G304LK12+0100	G304L	95mm	ROUND BAR G304L K12 ASTM A276/A479	57.49
BRS100G304LK12+0100	G304L	100mm	ROUND BAR G304L K12 ASTM A276/A479	63.70
BRS105G304LK12+0100	G304L	105mm	ROUND BAR G304L K12 ASTM A276/A479	70.22
BRS110G304LK12+0100	G304L	110mm	ROUND BAR G304L K12 ASTM A276/A479	77.07
BRS115G304LK12+0100	G304L	115mm	ROUND BAR G304L K12 ASTM A276/A479	84.24
BRS120G304LK12+0100	G304L	120mm	ROUND BAR G304L K12 ASTM A276/A479	91.72
BRS125G304LK12+0100	G304L	125mm	ROUND BAR G304L K12 ASTM A276/A479	99.52
BRS130G304LK12+0100	G304L	130mm	ROUND BAR G304L K12 ASTM A276/A479	107.65
BRS140G304LK12+0100	G304L	140mm	ROUND BAR G304L K12 ASTM A276/A479	123.15
BRS145G304LK12+0100	G304L	145mm	ROUND BAR G304L K12 ASTM A276/A479	133.92
BRS160G304LK12+0100	G304L	160mm	ROUND BAR G304L K12 ASTM A276/A479	160.85
BRS170G304LK12+0100	G304L	170mm	ROUND BAR G304L K12 ASTM A276/A479	184.08
BRS180G304LK12+0100	G304L	180mm	ROUND BAR G304L K12 ASTM A276/A479	206.38
BRS200G304LK12+0100	G304L	200mm	ROUND BAR G304L K12 ASTM A276/A479	254.78

Finishes: P&R h9 / CD h9 / ST h10 / C.G. h8 / Peeled K12 / RT / HRAP

Cutting: We offer a close precision cutting service - please enquire. Standard cutting tolerance - 0/+3mm

Round Bar



Grades: 303, 304, 304L, 316, 316L, 2205, 253MA, SAF2507

Unit of Supply:
4m / 6m ≤ 30 mm, 1m ≥ 30 mm

Certification: Acc. to
ASTM A276/ A479

BRS Metric

Product Code	Grade	Product Size (mm)	Description	kg/m
BRS210G304LK12+0100	G304L	210mm	ROUND BAR G304L K12 ASTM A276/A479	280.90
BRS230G304LK12+0100	G304L	230mm	ROUND BAR G304L K12 ASTM A276/A479	336.95
BRS250G304LK12+0100	G304L	250mm	ROUND BAR G304L K12 ASTM A276/A479	398.10
BRS300G304LK12+0100	G304L	300mm	ROUND BAR G304L K12 ASTM A276/A479	573.27
G304 - Centreless Ground (CG)				
BRS030G304LCG+0600	G304L CG	30mm	ROUND BAR G304L CG H8 ASTM A276/A479	5.73
G316				
BRS0040G316H9+0400	G316	4mm	ROUND BAR G316 CD H9 ASTM A276/A479	0.10
BRS0050G316H9+0400	G316	5mm	ROUND BAR G316 CD H9 ASTM A276/A479	0.16
BRS0060G316H9+0400	G316	6mm	ROUND BAR G316 CD H9 ASTM A276/A479	0.23
BRS0080G316H9+0400	G316	8mm	ROUND BAR G316 CD H9 ASTM A276/A479	0.41
BRS010G316H9+0400	G316	10mm	ROUND BAR G316 CD H9 ASTM A276/A479	0.64
BRS012G316H9+0400	G316	12mm	ROUND BAR G316 CD H9 ASTM A276/A479	0.92
BRS014G316H9+0400	G316	14mm	ROUND BAR G316 CD H9 ASTM A276/A479	1.25
BRS015G316H9+0400	G316	15mm	ROUND BAR G316 CD H9 ASTM A276/A479	1.43
BRS016G316H9+0400	G316	16mm	ROUND BAR G316 CD H9 ASTM A276/A479	1.63
BRS018G316H9+0400	G316	18mm	ROUND BAR G316 CD H9 ASTM A276/A479	2.06
BRS020G316H9+0400	G316	20mm	ROUND BAR G316 CD H9 ASTM A276/A479	2.55
BRS022G316H9+0400	G316	22mm	ROUND BAR G316 CD H9 ASTM A276/A479	3.08
BRS025G316LH9+0400	G316L	25mm	ROUND BAR G316L CD H9 ASTM A276/A479	3.98
BRS030G316LK12+0100	G316L	30mm	ROUND BAR G316L K12 ASTM A276/A479	5.73
BRS035G316LK12+0100	G316L	35mm	ROUND BAR G316L K12 ASTM A276/A479	7.80
BRS040G316LK12+0100	G316L	40mm	ROUND BAR G316L K12 ASTM A276/A479	10.19
BRS045G316LK12+0100	G316L	45mm	ROUND BAR G316L K12 ASTM A276/A479	12.90
BRS050G316LK12+0100	G316L	50mm	ROUND BAR G316L K12 ASTM A276/A479	15.92
BRS055G316LK12+0100	G316L	55mm	ROUND BAR G316L K12 ASTM A276/A479	19.27
BRS060G316LK12+0100	G316L	60mm	ROUND BAR G316L K12 ASTM A276/A479	22.93
BRS065G316LK12+0100	G316L	65mm	ROUND BAR G316L K12 ASTM A276/A479	26.91
BRS070G316LK12+0100	G316L	70mm	ROUND BAR G316L K12 ASTM A276/A479	31.21
BRS075G316LK12+0100	G316L	75mm	ROUND BAR G316L K12 ASTM A276/A479	35.83
BRS080G316LK12+0100	G316L	80mm	ROUND BAR G316L K12 ASTM A276/A479	40.77
BRS085G316LK12+0100	G316L	85mm	ROUND BAR G316L K12 ASTM A276/A479	46.02
BRS090G316LK12+0100	G316L	90mm	ROUND BAR G316L K12 ASTM A276/A479	51.59
BRS095G316LK12+0100	G316L	95mm	ROUND BAR G316L K12 ASTM A276/A479	57.49
BRS100G316LK12+0100	G316L	100mm	ROUND BAR G316L K12 ASTM A276/A479	63.70
BRS105G316LK12+0100	G316L	105mm	ROUND BAR G316L K12 ASTM A276/A479	70.22
BRS110G316LK12+0100	G316L	110mm	ROUND BAR G316L K12 ASTM A276/A479	77.07
BRS115G316LK12+0100	G316L	115mm	ROUND BAR G316L K12 ASTM A276/A479	84.24
BRS120G316LK12+0100	G316L	120mm	ROUND BAR G316L K12 ASTM A276/A479	91.72
BRS125G316LK12+0100	G316L	125mm	ROUND BAR G316L K12 ASTM A276/A479	99.52
BRS130G316LK12+0100	G316L	130mm	ROUND BAR G316L K12 ASTM A276/A479	107.65
BRS135G316LK12+0100	G316L	135mm	ROUND BAR G316L K12 ASTM A276/A479	116.09
BRS140G316LK12+0100	G316L	140mm	ROUND BAR G316L K12 ASTM A276/A479	124.84
BRS145G316LK12+0100	G316L	145mm	ROUND BAR G316L K12 ASTM A276/A479	133.92
BRS165G316LK12+0100	G316L	165mm	ROUND BAR G316L K12 ASTM A276/A479	173.41
BRS170G316LK12+0100	G316L	170mm	ROUND BAR G316L K12 ASTM A276/A479	184.08
BRS180G316LK12+0100	G316L	180mm	ROUND BAR G316L K12 ASTM A276/A479	206.38
BRS200G316LK12+0100	G316L	200mm	ROUND BAR G316L K12 ASTM A276/A479	254.78

Round Bar



Grades: 303, 304, 304L, 316, 316L, 2205, 253MA, SAF2507

Unit of Supply:
4m / 6m ≤ 30 mm, 1m ≥ 30 mm

Certification: Acc. to
ASTM A276/ A479

BRS Metric

Product Code	Grade	Product Size (mm)	Description	kg/m
BRS210G316LK12+0100	G316L	210mm	ROUND BAR G316L K12 ASTM A276/A479	280.90
BRS225G316LK12+0100	G316L	225mm	ROUND BAR G316L K12 ASTM A276/A479	322.46
BRS250G316LK12+0100	G316L	250mm	ROUND BAR G316L K12 ASTM A276/A479	398.10
BRS280G316LK12+0100	G316L	280mm	ROUND BAR G316L K12 ASTM A276/A479	499.38
BRS300G316LK12+0100	G316L	300mm	ROUND BAR G316L K12 ASTM A276/A479	573.27
BRS325G316LK12+0100	G316L	325mm	ROUND BAR G316L K12 ASTM A276/A479	672.78
BRS330G316LK12+0100	G316L	330mm	ROUND BAR G316L K12 ASTM A276/A479	681.00
BRS350G316LK12+0100	G316L	350mm	ROUND BAR G316L K12 ASTM A276/A479	780.27
BRS400G316LK12+0100	G316L	400mm	ROUND BAR G316L K12 ASTM A276/A479	1019.12

G316 - Centreless Ground (CG)

BRS020G316LCG+0600	G316L CG	20mm	ROUND BAR G316L CG H8 ASTM A276/A479	2.55
BRS022G316LCG+0600	G316L CG	22mm	ROUND BAR G316L CG H8 ASTM A276/A479	3.08
BRS025G316LCG+0600	G316L CG	25mm	ROUND BAR G316L CG H8 ASTM A276/A479	3.98
BRS030G316LCG+0600	G316L CG	30mm	ROUND BAR G316L CG H8 ASTM A276/A479	5.73

G2205

BRS012G2205H9+0600	G2205	12mm	ROUND BAR G2205 CD H9 ASTM A276/A479	0.92
BRS020G2205K12+0100	G2205	20mm	ROUND BAR G2205 K12 ASTM A276/A479	2.55
BRS030G2205K12+0100	G2205	30mm	ROUND BAR G2205 K12 ASTM A276/A479	5.73
BRS040G2205K12+0100	G2205	40mm	ROUND BAR G2205 K12 ASTM A276/A479	10.19
BRS045G2205K12+0100	G2205	45mm	ROUND BAR G2205 K12 ASTM A276/A479	12.90
BRS050G2205K12+0100	G2205	50mm	ROUND BAR G2205 K12 ASTM A276/A479	15.92
BRS055G2205K12+0100	G2205	55mm	ROUND BAR G2205 K12 ASTM A276/A479	19.27
BRS060G2205K12+0100	G2205	60mm	ROUND BAR G2205 K12 ASTM A276/A479	22.93
BRS065G2205K12+0100	G2205	65mm	ROUND BAR G2205 K12 ASTM A276/A479	26.91
BRS070G2205K12+0100	G2205	70mm	ROUND BAR G2205 K12 ASTM A276/A479	31.21
BRS075G2205K12+0100	G2205	75mm	ROUND BAR G2205 K12 ASTM A276/A479	35.83
BRS080G2205K12+0100	G2205	80mm	ROUND BAR G2205 K12 ASTM A276/A479	40.77
BRS085G2205K12+0100	G2205	85mm	ROUND BAR G2205 K12 ASTM A276/A479	46.02
BRS090G2205K12+0100	G2205	90mm	ROUND BAR G2205 K12 ASTM A276/A479	51.59
BRS100G2205K12+0100	G2205	100mm	ROUND BAR G2205 K12 ASTM A276/A479	63.70
BRS110G2205K12+0100	G2205	110mm	ROUND BAR G2205 K12 ASTM A276/A479	77.07
BRS115G2205K12+0100	G2205	115mm	ROUND BAR G2205 K12 ASTM A276/A479	84.24
BRS120G2205K12+0100	G2205	120mm	ROUND BAR G2205 K12 ASTM A276/A479	91.72
BRS130G2205K12+0100	G2205	130mm	ROUND BAR G2205 K12 ASTM A276/A479	107.65
BRS140G2205K12+0100	G2205	140mm	ROUND BAR G2205 K12 ASTM A276/A479	124.84
BRS150G2205K12+0100	G2205	150mm	ROUND BAR G2205 K12 ASTM A276/A479	143.32
BRS165G2205K12+0100	G2205	165mm	ROUND BAR G2205 K12 ASTM A276/A479	173.41
BRS170G2205K12+0100	G2205	170mm	ROUND BAR G2205 K12 ASTM A276/A479	184.08
BRS180G2205K12+0100	G2205	180mm	ROUND BAR G2205 K12 ASTM A276/A479	206.37
BRS200G2205K12+0100	G2205	200mm	ROUND BAR G2205 K12 ASTM A276/A479	254.78
BRS220G2205K12+0100	G2205	220mm	ROUND BAR G2205 K12 ASTM A276/A479	304.11
BRS250G2205K12+0100	G2205	250mm	ROUND BAR G2205 K12 ASTM A276/A479	398.10
BRS300G2205K12+0100	G2205	300mm	ROUND BAR G2205 K12 ASTM A276/A479	573.26
BRS350G2205K12+0100	G2205	350mm	ROUND BAR G2205 K12 ASTM A276/A479	780.27
BRS400G2205K12+0100	G2205	400mm	ROUND BAR G2205 K12 ASTM A276/A479	1005.31

Round Bar



Grades: 303, 304, 304L, 316, 316L, 2205, 253MA, SAF2507

Unit of Supply:
4m / 6m ≤ 30 mm, 1m ≥ 30 mm

Certification: Acc. to
ASTM A276/ A479

BRS Metric

Product Code	Grade	Product Size (mm)	Description	kg/m
--------------	-------	-------------------	-------------	------

G2205 - Centreless Ground (CG)

BRS016G2205CG+0600	G2205 CG	16mm	ROUND BAR G2205 CG H8 ASTM A276/A479	1.63
BRS020G2205CG+0600	G2205 CG	20mm	ROUND BAR G2205 CG H8 ASTM A276/A479	2.55

G253 MA

BRS0060G253MA+0100	G253MA	6mm	ROUND BAR G253MA ASTM A276/A479	0.23
BRS0080G253MA+0100	G253MA	8mm	ROUND BAR G253MA ASTM A276/A479	0.41
BRS010G253MA+0100	G253MA	10mm	ROUND BAR G253MA ASTM A276/A479	0.64
BRS012G253MA+0100	G253MA	12mm	ROUND BAR G253MA ASTM A276/A479	0.92
BRS016G253MA+0100	G253MA	16mm	ROUND BAR G253MA ASTM A276/A479	1.63
BRS020G253MA+0100	G253MA	20mm	ROUND BAR G253MA ASTM A276/A479	2.55
BRS035G253MA+0100	G253MA	35mm	ROUND BAR G253MA ASTM A276/A479	7.80
BRS040G253MA+0100	G253MA	40mm	ROUND BAR G253MA ASTM A276/A479	10.19

Round Bar



Grades: 303, 304, 304L, 316, 316L, 2205

Unit of Supply:
1m, 4m, 6m

Certification: Acc. to
ASTM A276/ A479

BRS Imperial

Product Code	Grade	Product Size (mm)	(inch)	Description	kg/m
G303					
BRS0127G303+0400	G303	12.70mm	1/2"	ROUND BAR G303 CD H9 ASTM A582	1.03
BRS0191G303+0400	G303	19.05mm	3/4"	ROUND BAR G303 CD H9 ASTM A582	2.31
BRS0222G303H9+0400	G303	22.22mm	7/8"	ROUND BAR G303 CD H9 ASTM A582	3.10
BRS0254G303+0400	G303	25.40mm	1"	ROUND BAR G303 CD H9 ASTM A582	4.11
BRS0318G303+0400	G303	31.80mm	1-1/4"	ROUND BAR G303 CD H9 ASTM A582	6.44
BRS0381G303+0400	G303	38.10mm	1-1/2"	ROUND BAR G303 CD H9 ASTM A582	9.25
BRS0508G303+0400	G303	50.80mm	2"	ROUND BAR G303 CD H9 ASTM A582	16.44
G304					
BRS0032G304H9+0400	G304	3.18mm	1/8"	ROUND BAR G304 CD H9 ASTM A276/A479	0.06
BRS0047G304H9+0400	G304	4.76mm	3/16"	ROUND BAR G304 CD H9 ASTM A276/A479	0.14
BRS0064G304H9+0400	G304	6.35mm	1/4"	ROUND BAR G304 CD H9 ASTM A276/A479	0.26
BRS0079G304H9+0400	G304	7.94mm	5/16"	ROUND BAR G304 CD H9 ASTM A276/A479	0.40
BRS0095G304H9+0400	G304	9.53mm	3/8"	ROUND BAR G304 CD H9 ASTM A276/A479	0.58
BRS0127G304H9+0400	G304	12.70mm	1/2"	ROUND BAR G304 CD H9 ASTM A276/A479	1.03
BRS0159G304H9+0400	G304	15.87mm	5/8"	ROUND BAR G304 CD H9 ASTM A276/A479	1.60
BRS0191G304H9+0400	G304	19.05mm	3/4"	ROUND BAR G304 CD H9 ASTM A276/A479	2.31
BRS0222G304H9+0400	G304	22.22mm	7/8"	ROUND BAR G304 CD H9 ASTM A276/A479	3.14
BRS0254G304LH9+0400	G304L	25.40mm	1"	ROUND BAR G304L CD H9 ASTM A276/A479	4.05
BRS0318G304LK12+0100	G304L	31.80mm	1-1/4"	ROUND BAR G304L K12 ASTM A276/A479	6.42
BRS0318G304LH9+0400	G304L	31.80mm	1-1/4"	ROUND BAR G304L CD H9 ASTM A276/A479	6.40
BRS0381G304LK12+0100	G304L	38.10mm	1-1/2"	ROUND BAR G304L K12 ASTM A276/A479	9.25
BRS0445G304LK12+0100	G304L	44.45mm	1-3/4"	ROUND BAR G304L K12 ASTM A276/A479	12.59
BRS0508G304LK12+0100	G304L	50.80mm	2"	ROUND BAR G304L K12 ASTM A276/A479	16.44
BRS0572G304LK12+0100	G304L	57.15mm	2-1/4"	ROUND BAR G304L K12 ASTM A276/A479	20.80
BRS0635G304LK12+0100	G304L	63.50mm	2-1/2"	ROUND BAR G304L K12 ASTM A276/A479	25.68
BRS0762G304LK12+0100	G304L	76.20mm	3"	ROUND BAR G304L K12 ASTM A276/A479	36.98
BRS1016G304LK12+0100	G304L	101.6mm	4"	ROUND BAR G304L K12 ASTM A276/A479	65.75
BRS1524G304LK12+0100	G304L	152.4mm	6"	ROUND BAR G304L K12 ASTM A276/A479	147.94
BRS2032G304LK12+0100	G304L	203.2mm	8"	ROUND BAR G304L K12 ASTM A276/A479	263.00
BRS355G304LK12+0100	G304L	355.6mm	14"	ROUND BAR G304L K12 ASTM A276/A479	802.73

G304 - Centreless Ground (CG)

BRS0254G304LCG+0600	G304L CG	25.40mm	1"	ROUND BAR G304L CG H8 ASTM A276/A479	4.05
---------------------	----------	---------	----	--------------------------------------	------

Round Bar



Grades: 303, 304, 304L, 316, 316L, 2205

Unit of Supply:
1m, 4m, 6m

Certification: Acc. to
ASTM A276/ A479

BRS Imperial

Product Code	Grade	Product Size (mm)	(inch)	Description	kg/m
G316					
BRS0079G316H9+0400	G316	7.94mm	5/16"	ROUND BAR G316 CD H9 ASTM A276/A479	0.40
BRS0095G316H9+0400	G316	9.52mm	3/8"	ROUND BAR G316 CD H9 ASTM A276/A479	0.58
BRS0111G316H9+0400	G316	11.11mm	7/16"	ROUND BAR G316 CD H9 ASTM A276/A479	0.77
BRS0127G316H9+0400	G316	12.70mm	1/2"	ROUND BAR G316 CD H9 ASTM A276/A479	1.03
BRS0143G316H9+0400	G316	14.28mm	9/16"	ROUND BAR G316 CD H9 ASTM A276/A479	1.30
BRS0159G316H9+0400	G316	15.87mm	5/8"	ROUND BAR G316 CD H9 ASTM A276/A479	1.60
BRS0191G316H9+0400	G316	19.05mm	3/4"	ROUND BAR G316 CD H9 ASTM A276/A479	2.31
BRS0222G316H9+0400	G316	22.22mm	7/8"	ROUND BAR G316 CD H9 ASTM A276/A479	3.14
BRS0254G316LH9+0400	G316L	25.40mm	1"	ROUND BAR G316L CD H9 ASTM A276/A479	4.11
BRS0318G316LK12+0100	G316L	31.80mm	1-1/4"	ROUND BAR G316L K12 ASTM A276/A479	6.42
BRS0381G316LK12+0100	G316L	38.10mm	1-1/2"	ROUND BAR G316L K12 ASTM A276/A479	9.25
BRS0445G316LK12+0100	G316L	44.45mm	1-3/4"	ROUND BAR G316L K12 ASTM A276/A479	12.59
BRS0508G316LK12+0100	G316L	50.80mm	2"	ROUND BAR G316L K12 ASTM A276/A479	16.44
BRS0572G316LK12+0100	G316L	57.15mm	2-1/4"	ROUND BAR G316L K12 ASTM A276/A479	20.80
BRS0635G316LK12+0100	G316L	63.50mm	2-1/2"	ROUND BAR G316L K12 ASTM A276/A479	25.68
BRS0762G316LK12+0100	G316L	76.20mm	3"	ROUND BAR G316L K12 ASTM A276/A479	36.98
BRS1016G316LK12+0100	G316L	101.6mm	4"	ROUND BAR G316L K12 ASTM A276/A479	65.75
BRS1524G316LK12+0100	G316L	152.4mm	6"	ROUND BAR G316L K12 ASTM A276/A479	147.94
BRS2032G316LK12+0100	G316L	203.2mm	8"	ROUND BAR G316L K12 ASTM A276/A479	263.00

G316 - Centreless Ground (CG)

BRS0254G316LCG+0600	G316L CG	25.40mm	1"	ROUND BAR G316L CG H8 ASTM A276/A479	4.11
BRS0318G316LCG+0600	G316L CG	31.80mm	1-1/4"	ROUND BAR G316L CG H8 ASTM A276/A479	6.42
BRS0349G316LCG+0600	G316L CG	34.93mm	1-3/8"	ROUND BAR G316L CG H8 ASTM A276/A479	7.77
BRS0381G316LCG+0600	G316L CG	38.10mm	1-1/2"	ROUND BAR G316L CG H8 ASTM A276/A479	9.25
BRS0445G316LCG+0600	G316L CG	44.45mm	1-3/4"	ROUND BAR G316L CG H8 ASTM A276/A479	12.59
BRS0508G316LCG+0600	G316L CG	50.80mm	2"	ROUND BAR G316L CG H8 ASTM A276/A479	16.44

G2205 - Centreless Ground (CG)

BRS0191G2205CG+0600	G2205 CG	19.05mm	3/4"	ROUND BAR G2205 CG H8 ASTM A276/A479	2.31
BRS0254G2205CG+0600	G2205 CG	25.40mm	1"	ROUND BAR G2205 CG H8 ASTM A276/A479	4.11
BRS0318G2205CG+0600	G2205 CG	31.80mm	1-1/4"	ROUND BAR G2205 CG H8 ASTM A276/A479	6.42
BRS0349G2205CG+0600	G2205 CG	34.93mm	1-3/8"	ROUND BAR G2205 CG H8 ASTM A276/A479	7.77
BRS0381G2205CG+0600	G2205 CG	38.10mm	1-1/2"	ROUND BAR G2205 CG H8 ASTM A276/A479	9.25
BRS0445G2205CG+0600	G2205 CG	44.45mm	1-3/4"	ROUND BAR G2205 CG H8 ASTM A276/A479	12.59
BRS0508G2205CG+0600	G2205 CG	50.80mm	2"	ROUND BAR G2205 CG H8 ASTM A276/A479	16.44
BRS0572G2205CG+0600	G2205 CG	57.15mm	2-1/4"	ROUND BAR G2205 CG H8 ASTM A276/A479	20.80
BRS0635G2205CG+0600	G2205 CG	63.50mm	2-1/2"	ROUND BAR G2205 CG H8 ASTM A276/A479	25.68
BRS0699G2205CG+0600	G2205 CG	69.85mm	2-3/4"	ROUND BAR G2205 CG H8 ASTM A276/A479	31.08
BRS0762G2205CG+0600	G2205 CG	76.20mm	3"	ROUND BAR G2205 CG H8 ASTM A276/A479	36.98
BRS0889G2205CG+0600	G2205 CG	88.90mm	3-1/2"	ROUND BAR G2205 CG H8 ASTM A276/A479	50.34
BRS1016G2205CG+0600	G2205 CG	101.6mm	4"	ROUND BAR G2205 CG H8 ASTM A276/A479	65.75

Hollow Bar

Grades: 316L
Unit of Supply: Cut to Length

Certification: Acc. to
ASTM A511 / DIN 17458 TCI



HBS


Product Code	Product Size (mm)	Description	kg/m
HBS032016G316L+0100	032 x 016	HOLLOW BAR G316L	4.70
HBS036016G316L+0100	036 x 016	HOLLOW BAR G316L	6.74
HBS036020G316L+0100	036 x 020	HOLLOW BAR G316L	6.00
HBS036025G316L+0100	036 x 025	HOLLOW BAR G316L	4.67
HBS040020G316L+0100	040 x 020	HOLLOW BAR G316L	7.80
HBS040028G316L+0100	040 x 028	HOLLOW BAR G316L	5.54
HBS045028G316L+0100	045 x 028	HOLLOW BAR G316L	8.20
HBS050025G316L+0100	050 x 025	HOLLOW BAR G316L	12.28
HBS050032G316L+0100	050 x 032	HOLLOW BAR G316L	9.70
HBS050036G316L+0100	050 x 036	HOLLOW BAR G316L	8.00
HBS056028G316L+0100	056 x 028	HOLLOW BAR G316L	15.20
HBS056036G316L+0100	056 x 036	HOLLOW BAR G316L	12.10
HBS056040G316L+0100	056 x 040	HOLLOW BAR G316L	10.20
HBS063032G316L+0100	063 x 032	HOLLOW BAR G316L	19.00
HBS063036G316L+0100	063 x 036	HOLLOW BAR G316L	17.30
HBS063040G316L+0100	063 x 040	HOLLOW BAR G316L	15.42
HBS063050G316L+0100	063 x 050	HOLLOW BAR G316L	9.90
HBS071036G316L+0100	071 x 036	HOLLOW BAR G316L	24.10
HBS071040G316L+0100	071 x 040	HOLLOW BAR G316L	22.10
HBS071045G316L+0100	071 x 045	HOLLOW BAR G316L	20.17
HBS071056G316L+0100	071 x 056	HOLLOW BAR G316L	12.90
HBS075040G316L+0100	075 x 040	HOLLOW BAR G316L	26.17
HBS075050G316L+0100	075 x 050	HOLLOW BAR G316L	21.10
HBS080040G316L+0100	080 x 040	HOLLOW BAR G316L	30.90
HBS080050G316L+0100	080 x 050	HOLLOW BAR G316L	25.72
HBS080063G316L+0100	080 x 063	HOLLOW BAR G316L	16.40
HBS085045G316L+0100	085 x 045	HOLLOW BAR G316L	33.50
HBS090050G316L+0100	090 x 050	HOLLOW BAR G316L	36.10
HBS095050G316L+0100	095 x 050	HOLLOW BAR G316L	42.10
HBS095067G316L+0100	095 x 067	HOLLOW BAR G316L	30.45
HBS100056G316L+0100	100 x 056	HOLLOW BAR G316L	44.06
HBS100063G316L+0100	100 x 063	HOLLOW BAR G316L	39.20
HBS100071G316L+0100	100 x 071	HOLLOW BAR G316L	32.70
HBS100080G316L+0100	100 x 080	HOLLOW BAR G316L	24.40
HBS106056G316L+0100	106 x 056	HOLLOW BAR G316L	52.10
HBS106071G316L+0100	106 x 071	HOLLOW BAR G316L	40.60
HBS106080G316L+0100	106 x 080	HOLLOW BAR G316L	32.30
HBS112063G316L+0100	112 x 063	HOLLOW BAR G316L	55.30
HBS112080G316L+0100	112 x 080	HOLLOW BAR G316L	40.60
HBS118080G316L+0100	118 x 080	HOLLOW BAR G316L	49.40
HBS118090G316L+0100	118 x 090	HOLLOW BAR G316L	39.00
HBS125080G316L+0100	125 x 080	HOLLOW BAR G316L	60.20

Guaranteed finished part sizes valid for lengths less than 2.5 times the O.D.
Mass: theoretical only and can vary. Allowance must be made for dimensional tolerance variations, including diameter, length, and metal loss from cutting (swarf).
Cutting: we offer a close precision cutting service - please enquire. Standard cutting tolerance - 0 / + 3 mm.

Hollow Bar

Grades: 316L
Unit of Supply: Cut to Length

Certification: Acc. to
ASTM A511 / DIN 17458 TCI



HBS

Product Code	Product Size (mm)	Description	kg/m
HBS125100G316L+0100	125 x 100	HOLLOW BAR G316L	38.30
HBS132090G316L+0100	132 x 090	HOLLOW BAR G316L	61.10
HBS132106G316L+0100	132 x 106	HOLLOW BAR G316L	42.65
HBS140100G316L+0100	140 x 100	HOLLOW BAR G316L	63.30
HBS150080G316L+0100	150 x 080	HOLLOW BAR G316L	103.30
HBS150095G316L+0100	150 x 095	HOLLOW BAR G316L	87.70
HBS150106G316L+0100	150 x 106	HOLLOW BAR G316L	74.20
HBS150125G316L+0100	150 x 125	HOLLOW BAR G316L	47.40
HBS160090G316L+0100	160 x 090	HOLLOW BAR G316L	112.90
HBS160112G316L+0100	160 x 112	HOLLOW BAR G316L	85.80
HBS170118G316L+0100	170 x 118	HOLLOW BAR G316L	99.31
HBS180125G316L+0100	180 x 125	HOLLOW BAR G316L	110.00
HBS180140G316L+0100	180 x 140	HOLLOW BAR G316L	86.10
HBS180150G316L+0100	180 x 150	HOLLOW BAR G316L	68.40
HBS190132G316L+0100	190 x 132	HOLLOW BAR G316L	123.00
HBS190160G316L+0100	190 x 160	HOLLOW BAR G316L	73.00
HBS200150G316L+0100	200 x 150	HOLLOW BAR G316L	117.22
HBS200160G316L+0100	200 x 160	HOLLOW BAR G316L	97.60
HBS212170G316L+0100	212 x 170	HOLLOW BAR G316L	109.00
HBS224140G316L+0100	224 x 140	HOLLOW BAR G316L	198.78
HBS236190G316L+0100	236 x 190	HOLLOW BAR G316L	135.14
HBS250200G316L+0100	250 x 200	HOLLOW BAR G316L	153.00
HBS250200G316L+0100	250 x 200	HOLLOW BAR G316L	153.00
HBS275200G316L+0100	275 x 200	HOLLOW BAR G316L	227.79

Guaranteed finished part sizes valid for lengths less than 2.5 times the O.D.
Mass: theoretical only and can vary. Allowance must be made for dimensional tolerance variations, including diameter, length, and metal loss from cutting (swarf).
Cutting: we offer a close precision cutting service - please enquire. Standard cutting tolerance - 0 / + 3 mm.


Hollow Bar Dimensions



Outside Dia mm	Inside Dia mm	Wall mm	kg/m	Description
36	16	10	6.78	Hollow Bar 36 x 16
36	20	8	5.91	Hollow Bar 36 x 20
36	25	5.5	4.55	Hollow Bar 36 x 25
40	20	10	7.83	Hollow Bar 40 x 20
40	28	6	5.49	Hollow Bar 40 x 28
45	28	8.5	8.17	Hollow Bar 45 x 28
45	32	6.5	6.7	Hollow Bar 45 x 32
50	25	12.5	12.1	Hollow Bar 50 x 25
50	32	9	9.7	Hollow Bar 50 x 32
50	36	7	8.01	Hollow Bar 50 x 36
56	28	14	15.2	Hollow Bar 56 x 28
56	36	10	12.1	Hollow Bar 56 x 36
56	40	8	10.2	Hollow Bar 56 x 40
63	32	15.5	19	Hollow Bar 63 x 32
63	36	13.5	17.3	Hollow Bar 63 x 36
63	40	11.5	15.4	Hollow Bar 63 x 40
63	50	6.5	9.91	Hollow Bar 63 x 50
71	36	17.5	24.1	Hollow Bar 71 x 36
71	40	15.5	22.3	Hollow Bar 71 x 40
71	45	13	19.6	Hollow Bar 71 x 45
71	56	7.5	12.9	Hollow Bar 71 x 56
75	40	17.5	26	Hollow Bar 75 x 40
75	50	12.5	21.1	Hollow Bar 75 x 50
80	40	20	30.9	Hollow Bar 80 x 40
80	45	17.5	28.3	Hollow Bar 80 x 45
80	50	15	25.3	Hollow Bar 80 x 50
80	63	8.5	16.4	Hollow Bar 80 x 63
85	45	20	33.5	Hollow Bar 85 x 45
90	50	20	36.1	Hollow Bar 90 x 50
90	56	17	32.3	Hollow Bar 90 x 56
95	50	22.5	42.1	Hollow Bar 95 x 50
95	67	14	29.9	Hollow Bar 95 x 67

Outside Dia mm	Inside Dia mm	Wall mm	kg/m	Description
125	100	12.5	38.3	Hollow Bar 125 x 100
125	71	27	88.5	Hollow Bar 125 x 71
125	80	22.5	60.2	Hollow Bar 125 x 80
132	106	13	42	Hollow Bar 132 x 106
132	71	30.5	79.7	Hollow Bar 132 x 71
132	80	26	71.5	Hollow Bar 132 x 80
132	90	21	61.1	Hollow Bar 132 x 90
140	100	20	63.3	Hollow Bar 140 x 100
140	80	30	85.2	Hollow Bar 140 x 80
150	106	22	74.2	Hollow Bar 150 x 106
150	125	12.5	47.4	Hollow Bar 150 x 125
150	80	35	101	Hollow Bar 150 x 80
150	95	27.5	87.7	Hollow Bar 150 x 95
160	112	24	85.8	Hollow Bar 160 x 112
160	90	35	157.6	Hollow Bar 160 x 90
170	118	26	98.4	Hollow Bar 170 x 118
170	140	15	63.8	Hollow Bar 170 x 140
180	125	27.5	110	Hollow Bar 180 x 125
180	150	15	68.4	Hollow Bar 180 x 150
190	132	29	123	Hollow Bar 190 x 132
190	150	20	91.9	Hollow Bar 190 x 150
190	160	15	73	Hollow Bar 190 x 160
200	140	30	134	Hollow Bar 200 x 140
200	160	20	97.6	Hollow Bar 200 x 160
212	170	21	109	Hollow Bar 212 x 170
224	140	42	199	Hollow Bar 224 x 140
236	190	23	133	Hollow Bar 236 x 190
236	150	43	216	Hollow Bar 238 x 150
250	200	25	153	Hollow Bar 260 x 200

Hexagonal Bar




Grades: 316L (Cold Drawn)
Finish: H11

Unit of Supply:
3 - 4 m random lengths
Certification: Acc. to ASTM A276

BHS

Product Code	Grade	Product Size (mm)	Description	kg/m
BHS0111G316L+0300	G316L	11.11mm	HEX BAR G316L CD H11 ASTM A276	0.86
BHS012G316L+0300	G316L	12.0mm	HEX BAR G316L CD H11 ASTM A276	0.98
BHS014G316L+0300	G316L	14.0mm	HEX BAR G316L CD H11 ASTM A276	1.35
BHS017G316L+0300	G316L	17.0mm	HEX BAR G316L CD H11 ASTM A276	2.04
BHS019G316L+0300	G316L	19.0mm	HEX BAR G316L CD H11 ASTM A276	2.51
BHS022G316L+0300	G316L	22.0mm	HEX BAR G316L CD H11 ASTM A276	3.29
BHS024G316L+0300	G316L	24.0mm	HEX BAR G316L CD H11 ASTM A276	4.04
BHS0254G316L+0300	G316L	25.4mm	HEX BAR G316L CD H11 ASTM A276	4.39
BHS027G316L+0300	G316L	27.0mm	HEX BAR G316L CD H11 ASTM A276	5.19
BHS028G316L+0300	G316L	28.0mm	HEX BAR G316L CD H11 ASTM A276	5.57
BHS032G316L+0400	G316L	32.0mm	HEX BAR G316L CD H11 ASTM A276	7.01
BHS036G316L+0300	G316L	36.0mm	HEX BAR G316L CD H11 ASTM A276	9.00
BHS0413G316L+0300	G316L	41.27mm	HEX BAR G316L CD H11 ASTM A276	11.90
BHS041G316L+0300	G316L	41.0mm	HEX BAR G316L CD H11 ASTM A276	11.80
BHS0635G316L+0300	G316L	63.5mm	HEX BAR G316L CD H11 ASTM A276	27.87

Square Bar



Grades: 304, 316L
Finish: Cold Drawn (CD), HRAP

Unit of Supply:
 4 - 6 m random lengths
Certification: Acc. to ASTM A276

BSS

Product Code	Grade	Finish	Product Size (mm)	Description	Weight ea (kg)	kg/m
G304 CD						
BSS008G304C+0400	G304	CD	8mm	SQUARE BAR CD H11 G304 ASTM A276	2.05	0.51
BSS010G304C+0400	G304	CD	10mm	SQUARE BAR CD H11 G304 ASTM A276	3.20	0.80
BSS012G304C+0400	G304	CD	12mm	SQUARE BAR CD H11 G304 ASTM A276	4.61	1.15
BSS016G304C+0400	G304	CD	16mm	SQUARE BAR CD H11 G304 ASTM A276	8.19	2.05
BSS020G304C+0400	G304	CD	20mm	SQUARE BAR CD H11 G304 ASTM A276	12.80	3.20
BSS025G304C+0400	G304	CD	25mm	SQUARE BAR CD H11 G304 ASTM A276	20.00	5.00
BSS030G304C+0400	G304	CD	30mm	SQUARE BAR CD H11 G304 ASTM A276	28.80	7.20
BSS032G304C+0400	G304	CD	32mm	SQUARE BAR CD H11 G304 ASTM A276	32.77	8.19
BSS040G304C+0400	G304	CD	40mm	SQUARE BAR CD H11 G304 ASTM A276	51.20	12.80
BSS050G304C+0400	G304	CD	50mm	SQUARE BAR CD H11 G304 ASTM A276	80.00	20.00

G304 HRAP

BSS020G304H+0600	G304	HRAP	20mm	SQUARE BAR HRAP G304 ASTM A276	19.20	3.20
BSS025G304H+0600	G304	HRAP	25mm	SQUARE BAR HRAP G304 ASTM A276	30.00	5.00
BSS030G304H+0600	G304	HRAP	30mm	SQUARE BAR HRAP G304 ASTM A276	43.20	7.20
BSS032G304H+0600	G304	HRAP	32mm	SQUARE BAR HRAP G304 ASTM A276	49.15	8.19
BSS040G304H+0600	G304	HRAP	40mm	SQUARE BAR HRAP G304 ASTM A276	76.80	12.80
BSS050G304H+0600	G304	HRAP	50mm	SQUARE BAR HRAP G304 ASTM A276	120.00	20.00


G316 CD

BSS006G316C+0400	G316	CD	6mm	SQUARE BAR CD H11 G316 ASTM A276	1.15	0.29
BSS008G316C+0300	G316	CD	8mm	SQUARE BAR CD H11 G316 ASTM A276	1.54	0.51
BSS008G316C+0400	G316	CD	8mm	SQUARE BAR CD H11 G316 ASTM A276	2.05	0.51
BSS010G316C+0400	G316	CD	10mm	SQUARE BAR CD H11 G316 ASTM A276	3.20	0.80
BSS012G316C+0400	G316	CD	12mm	SQUARE BAR CD H11 G316 ASTM A276	4.61	1.15
BSS016G316C+0400	G316	CD	16mm	SQUARE BAR CD H11 G316 ASTM A276	8.19	2.05
BSS020G316C+0400	G316	CD	20mm	SQUARE BAR CD H11 G316 ASTM A276	12.80	3.20
BSS025G316C+0400	G316	CD	25mm	SQUARE BAR CD H11 G316 ASTM A276	20.00	5.00
BSS030G316C+0400	G316	CD	30mm	SQUARE BAR CD H11 G316 ASTM A276	28.80	7.20
BSS040G316C+0400	G316	CD	40mm	SQUARE BAR CD H11 G316 ASTM A276	51.20	12.80

G316 HRAP

BSS050G316H+0600	G316	HRAP	50mm	SQUARE BAR HRAP G316 ASTM A276	120.00	20.00
------------------	------	------	------	--------------------------------	--------	-------

Flat Bar




Grades: 304, 316
Finish: SRE, HRAP, POL (Polished)

Unit of Supply:
 SRE 4m lengths, HRAP 6m lengths,
 Polished 4m lengths
Certification: Acc. to ASTM A276 / A484

BFS

Product Code	Grade	Finish	Product Size (mm)	Description	kg/m
G304 SRE					
BFS01203G304S+0400	G304	SRE	12 x 3mm	FLAT BAR SRE G304 ASTM A276/A484	0.29
BFS02003G304S+0400	G304	SRE	20 x 3mm	FLAT BAR SRE G304 ASTM A276/A484	0.47
BFS02005G304S+0400	G304	SRE	20 x 5mm	FLAT BAR SRE G304 ASTM A276/A484	0.80
BFS02006G304S+0400	G304	SRE	20 x 6mm	FLAT BAR SRE G304 ASTM A276/A484	0.94
BFS02503G304S+0400	G304	SRE	25 x 3mm	FLAT BAR SRE G304 ASTM A276/A484	0.59
BFS02505G304S+0400	G304	SRE	25 x 5mm	FLAT BAR SRE G304 ASTM A276/A484	0.99
BFS02506G304S+0400	G304	SRE	25 x 6mm	FLAT BAR SRE G304 ASTM A276/A484	1.18
BFS03003G304S+0400	G304	SRE	30 x 3mm	FLAT BAR SRE G304 ASTM A276/A484	0.71
BFS03005G304S+0400	G304	SRE	30 x 5mm	FLAT BAR SRE G304 ASTM A276/A484	1.18
BFS03006G304S+0400	G304	SRE	30 x 6mm	FLAT BAR SRE G304 ASTM A276/A484	1.41
BFS03010G304S+0400	G304	SRE	30 x 10mm	FLAT BAR SRE G304 ASTM A276/A484	2.36
BFS04003G304S+0400	G304	SRE	40 x 3mm	FLAT BAR SRE G304 ASTM A276/A484	0.94
BFS04005G304S+0400	G304	SRE	40 x 5mm	FLAT BAR SRE G304 ASTM A276/A484	1.57
BFS04006G304S+0400	G304	SRE	40 x 6mm	FLAT BAR SRE G304 ASTM A276/A484	1.89
BFS04010G304S+0400	G304	SRE	40 x 10mm	FLAT BAR SRE G304 ASTM A276/A484	3.14
BFS05003G304S+0400	G304	SRE	50 x 3mm	FLAT BAR SRE G304 ASTM A276/A484	1.18
BFS05005G304S+0400	G304	SRE	50 x 5mm	FLAT BAR SRE G304 ASTM A276/A484	1.96
BFS05006G304S+0400	G304	SRE	50 x 6mm	FLAT BAR SRE G304 ASTM A276/A484	2.36
BFS05010G304S+0400	G304	SRE	50 x 10mm	FLAT BAR SRE G304 ASTM A276/A484	3.93
BFS06505G304S+0400	G304	SRE	65 x 5mm	FLAT BAR SRE G304 ASTM A276/A484	2.55
BFS06506G304S+0400	G304	SRE	65 x 6mm	FLAT BAR SRE G304 ASTM A276/A484	3.06
BFS06510G304S+0400	G304	SRE	65 x 10mm	FLAT BAR SRE G304 ASTM A276/A484	5.10
BFS07503G304S+0400	G304	SRE	75 x 3mm	FLAT BAR SRE G304 ASTM A276/A484	1.80
BFS07505G304S+0400	G304	SRE	75 x 5mm	FLAT BAR SRE G304 ASTM A276/A484	2.94
BFS07506G304S+0400	G304	SRE	75 x 6mm	FLAT BAR SRE G304 ASTM A276/A484	3.53
BFS07510G304S+0400	G304	SRE	75 x 10mm	FLAT BAR SRE G304 ASTM A276/A484	5.89
BFS10003G304S+0400	G304	SRE	100 x 3mm	FLAT BAR SRE G304 ASTM A276/A484	2.40
BFS10005G304S+0400	G304	SRE	100 x 5mm	FLAT BAR SRE G304 ASTM A276/A484	3.93
BFS10006G304S+0400	G304	SRE	100 x 6mm	FLAT BAR SRE G304 ASTM A276/A484	4.71
BFS10010G304S+0400	G304	SRE	100 x 10mm	FLAT BAR SRE G304 ASTM A276/A484	7.85
BFS10012G304S+0400	G304	SRE	100 x 12mm	FLAT BAR SRE G304 ASTM A276/A484	9.42
BFS15006G304S+0400	G304	SRE	150 x 6mm	FLAT BAR SRE G304 ASTM A276/A484	7.07
BFS15010G304S+0400	G304	SRE	150 x 10mm	FLAT BAR SRE G304 ASTM A276/A484	12.00
BFS20006G304S+0400	G304	SRE	200 x 6mm	FLAT BAR SRE G304 ASTM A276/A484	9.42
BFS20010G304S+0400	G304	SRE	200 x 10mm	FLAT BAR SRE G304 ASTM A276/A484	16.00

Flat Bar



Grades: 304, 316
Finish: SRE, HRAP, POL (Polished)

Unit of Supply:
 SRE 4m lengths, HRAP 6m lengths,
 Polished 4m lengths
Certification: Acc. to ASTM A276 / A484


BFS

Product Code	Grade	Finish	Product Size (mm)	Description	kg/m
G316 SRE					
BFS02003G316S+0400	G316	SRE	20 x 3mm	FLAT BAR SRE G316 ASTM A276/A484	0.48
BFS02005G316S+0400	G316	SRE	20 x 5mm	FLAT BAR SRE G316 ASTM A276/A484	0.80
BFS02006G316S+0400	G316	SRE	20 x 6mm	FLAT BAR SRE G316 ASTM A276/A484	0.94
BFS02503G316S+0400	G316	SRE	25 x 3mm	FLAT BAR SRE G316 ASTM A276/A484	0.60
BFS02505G316S+0400	G316	SRE	25 x 5mm	FLAT BAR SRE G316 ASTM A276/A484	0.98
BFS02506G316S+0400	G316	SRE	25 x 6mm	FLAT BAR SRE G316 ASTM A276/A484	1.18
BFS03003G316S+0400	G316	SRE	30 x 3mm	FLAT BAR SRE G316 ASTM A276/A484	0.72
BFS03005G316S+0400	G316	SRE	30 x 5mm	FLAT BAR SRE G316 ASTM A276/A484	1.18
BFS03006G316S+0400	G316	SRE	30 x 6mm	FLAT BAR SRE G316 ASTM A276/A484	1.41
BFS03010G316S+0400	G316	SRE	30 x 10mm	FLAT BAR SRE G316 ASTM A276/A484	2.40
BFS04003G316S+0400	G316	SRE	40 x 3mm	FLAT BAR SRE G316 ASTM A276/A484	0.96
BFS04005G316S+0400	G316	SRE	40 x 5mm	FLAT BAR SRE G316 ASTM A276/A484	1.57
BFS04006G316S+0400	G316	SRE	40 x 6mm	FLAT BAR SRE G316 ASTM A276/A484	1.89
BFS04010G316S+0400	G316	SRE	40 x 10mm	FLAT BAR SRE G316 ASTM A276/A484	3.14
BFS05003G316S+0400	G316	SRE	50 x 3mm	FLAT BAR SRE G316 ASTM A276/A484	1.20
BFS05005G316S+0400	G316	SRE	50 x 5mm	FLAT BAR SRE G316 ASTM A276/A484	1.96
BFS05006G316S+0400	G316	SRE	50 x 6mm	FLAT BAR SRE G316 ASTM A276/A484	2.36
BFS05010G316S+0400	G316	SRE	50 x 10mm	FLAT BAR SRE G316 ASTM A276/A484	3.93
BFS06506G316S+0400	G316	SRE	65 x 6mm	FLAT BAR SRE G316 ASTM A276/A484	3.06
BFS06510G316S+0400	G316	SRE	65 x 10mm	FLAT BAR SRE G316 ASTM A276/A484	5.20
BFS07506G316S+0400	G316	SRE	75 x 6mm	FLAT BAR SRE G316 ASTM A276/A484	3.53
BFS07510G316S+0400	G316	SRE	75 x 10mm	FLAT BAR SRE G316 ASTM A276/A484	5.89
BFS10006G316S+0400	G316	SRE	100 x 6mm	FLAT BAR SRE G316 ASTM A276/A484	4.80
BFS10010G316S+0400	G316	SRE	100 x 10mm	FLAT BAR SRE G316 ASTM A276/A484	7.85
BFS10012G316S+0400	G316	SRE	100 x 12mm	FLAT BAR SRE G316 ASTM A276/A484	9.42
BFS15006G316S+0400	G316	SRE	150 x 6mm	FLAT BAR SRE G316 ASTM A276/A484	7.20
BFS15010G316S+0400	G316	SRE	150 x 10mm	FLAT BAR SRE G316 ASTM A276/A484	12.00
BFS20006G316S+0400	G316	SRE	200 x 6mm	FLAT BAR SRE G316 ASTM A276/A484	9.60
BFS20010G316S+0400	G316	SRE	200 x 10mm	FLAT BAR SRE G316 ASTM A276/A484	16.00

G304 HRAP

BFS02510G304H+0600	G304	HRAP	25 x 10mm	FLAT BAR HRAP G304 ASTM A276/A484	2.00
BFS03005G304H+0400	G304	HRAP	30 x 5mm	FLAT BAR HRAP G304 ASTM A276/A484	1.18
BFS03010G304H+0600	G304	HRAP	30 x 10mm	FLAT BAR HRAP G304 ASTM A276/A484	2.40
BFS04005G304H+0600	G304	HRAP	40 x 5mm	FLAT BAR HRAP G304 ASTM A276/A484	1.60
BFS04010G304H+0600	G304	HRAP	40 x 10mm	FLAT BAR HRAP G304 ASTM A276/A484	3.20
BFS04012G304H+0600	G304	HRAP	40 x 12mm	FLAT BAR HRAP G304 ASTM A276/A484	3.84
BFS04016G304H+0600	G304	HRAP	40 x 16mm	FLAT BAR HRAP G304 ASTM A276/A484	5.12
BFS04020G304H+0600	G304	HRAP	40 x 20mm	FLAT BAR HRAP G304 ASTM A276/A484	6.40
BFS05006G304H+0600	G304	HRAP	50 x 6mm	FLAT BAR HRAP G304 ASTM A276/A484	2.35
BFS05010G304H+0600	G304	HRAP	50 x 10mm	FLAT BAR HRAP G304 ASTM A276/A484	4.00
BFS05012G304H+0600	G304	HRAP	50 x 12mm	FLAT BAR HRAP G304 ASTM A276/A484	4.80
BFS05016G304H+0600	G304	HRAP	50 x 16mm	FLAT BAR HRAP G304 ASTM A276/A484	6.40
BFS05020G304H+0600	G304	HRAP	50 x 20mm	FLAT BAR HRAP G304 ASTM A276/A484	8.00
BFS05025G304H+0600	G304	HRAP	50 x 25mm	FLAT BAR HRAP G304 ASTM A276/A484	10.00
BFS06510G304H+0600	G304	HRAP	65 x 10mm	FLAT BAR HRAP G304 ASTM A276/A484	5.20
BFS07510G304H+0600	G304	HRAP	75 x 10mm	FLAT BAR HRAP G304 ASTM A276/A484	6.01
BFS07512G304H+0600	G304	HRAP	75 x 12mm	FLAT BAR HRAP G304 ASTM A276/A484	7.35

Flat Bar



Grades: 304, 316
Finish: SRE, HRAP, POL (Polished)

Unit of Supply:
 SRE 4m lengths, HRAP 6m lengths,
 Polished 4m lengths
Certification: Acc. to ASTM A276 / A484

BFS

Product Code	Grade	Finish	Product Size (mm)	Description	kg/m
BFS07516G304H+0600	G304	HRAP	75 x 16mm	FLAT BAR HRAP G304 ASTM A276/A484	9.60
BFS10010G304H+0600	G304	HRAP	100 x 10mm	FLAT BAR HRAP G304 ASTM A276/A484	8.00
BFS10012G304H+0600	G304	HRAP	100 x 12mm	FLAT BAR HRAP G304 ASTM A276/A484	9.60
BFS10016G304H+0600	G304	HRAP	100 x 16mm	FLAT BAR HRAP G304 ASTM A276/A484	12.80
BFS10020G304H+0600	G304	HRAP	100 x 20mm	FLAT BAR HRAP G304 ASTM A276/A484	16.00
BFS10025G304H+0600	G304	HRAP	100 x 25mm	FLAT BAR HRAP G304 ASTM A276/A484	20.00

G316 HRAP

BFS02512G316H+0600	G316	HRAP	25 x 12mm	FLAT BAR HRAP G316 ASTM A276/A484	2.53
BFS04012G316H+0600	G316	HRAP	40 x 12mm	FLAT BAR HRAP G316 ASTM A276/A484	3.84
BFS05010G316H+0600	G316	HRAP	50 x 10mm	FLAT BAR HRAP G316 ASTM A276/A484	4.02
BFS05012G316H+0600	G316	HRAP	50 x 12mm	FLAT BAR HRAP G316 ASTM A276/A484	4.80
BFS06512G316H+0600	G316	HRAP	65 x 12mm	FLAT BAR HRAP G316 ASTM A276/A484	6.32
BFS07510G316H+0600	G316	HRAP	75 x 10mm	FLAT BAR HRAP G316 ASTM A276/A484	6.00
BFS07512G316H+0600	G316	HRAP	75 x 12mm	FLAT BAR HRAP G316 ASTM A276/A484	7.20
BFS10010G316H+0600	G316	HRAP	100 x 10mm	FLAT BAR HRAP G316 ASTM A276/A484	8.04

G304 POLISHED

BFS02003G304P+0400	G304	POL	20 x 3mm	FLAT BAR POLISHED G304 ASTM A276/A484	0.48
BFS02505G304P+0400	G304	POL	25 x 5mm	FLAT BAR POLISHED G304 ASTM A276/A484	1.00
BFS04005G304P+0400	G304	POL	40 x 5mm	FLAT BAR POLISHED G304 ASTM A276/A484	1.60
BFS05005G304P+0400	G304	POL	50 x 5mm	FLAT BAR POLISHED G304 ASTM A276/A484	2.00
BFS05006G304P+0400	G304	POL	50 x 6mm	FLAT BAR POLISHED G304 ASTM A276/A484	2.40
BFS05010G304P+0400	G304	POL	50 x 10mm	FLAT BAR POLISHED G304 ASTM A276/A484	4.00
BFS10006G304P+0400	G304	POL	100 x 6mm	FLAT BAR POLISHED G304 ASTM A276/A484	4.71
BFS15006G304P+0400	G304	POL	150 x 6mm	FLAT BAR POLISHED G304 ASTM A276/A484	7.20

G316 POLISHED

BFS05005G316P+0400	G316	POL	50 x 5mm	FLAT BAR POLISHED G316 ASTM A276/A484	2.00
--------------------	------	-----	----------	---------------------------------------	------

HRAP = Hot Rolled, Annealed, Pickled. Lengths normally 6 metre.
 SRE = Slit, Rolled Edge. Lengths normally 4 meter.
 POL = Polished 4 sides. Lengths normally 4 meter.
 Polishing service available.
 Cutting: we offer a close precision cutting service - please enquire. Standard cutting tolerance - 0 / + 3 mm.