

Low Pressure 150LB BSP/NPT Threaded Fittings

Threads: BS 21 (equivalent to ISO 7/1 jointing (sealing) thread).
Male taper thread (R) plus Female parallel thread (Rp).
Material: Cast CF8M (316) to ASTM A351. Pipe G316L to ASTM A312.
Dimensions: Mill standard.



FPTEF
45° Elbow (F/F) BSP



FPTEF
90° Elbow (F/F) BSP/NPT



FPTES
90° Street Elbow (M/F) BSP



FPTTE
Tee (F/F) BSP/NPT



FPTHC
Hex Cap BSP



FPTNU
Hex Back Nut BSP



FPTHP
Hex Head Plug BSP/NPT



FPTSP
Square Head Plug BSP



FPTHHS
Half Socket BSP



FPTS
Socket BSP/NPT



FPTRS
Reducing Socket BSP



FPTBN
Barrel Nipple BSP/NPT



FPTHN
Hex Nipple Equal BSP



FPTRN
Hex Reducing Nipple BSP



FPTWN
Weld Nipple BSP/NPT



FTTRWN
Reducing Weld Nipple BSP



FPTBU
Hex Reducing Bush BSP



FPTUN
3-Piece Union BSP/NPT



FPTHT
Hex Hose Tail BSP



FPTWNM
Weld Nipple Male Adapter BSP



FPTWNH
Weld Nipple Hex Nut Adapter BSP



FPTWNF
Weld Nipple Tri-ferrule Adapter BSP



FPTWNA
Weld Nipple Tube Adapter BSP

Low Pressure 150LB BSP/NPT Threaded Fittings

45° Elbow (F/F) – BSP

Grades: 316
Style: Female/Female

Threads: BSP Parallel
Rating: 150LB
Unit of Supply: Each



Product Code	Grade	Product Size (mm)	Description	Weight ea (kg)
FPTEF008NB45DG316F150BSP	G316	008NB (1/4")	BSP ELBOW 45DEG F/F 150LB G316	0.02
FPTEF010NB45DG316F150BSP	G316	010NB (3/8")	BSP ELBOW 45DEG F/F 150LB G316	0.04
FPTEF015NB45DG316F150BSP	G316	015NB (1/2")	BSP ELBOW 45DEG F/F 150LB G316	0.07
FPTEF020NB45DG316F150BSP	G316	020NB (3/4")	BSP ELBOW 45DEG F/F 150LB G316	0.10
FPTEF025NB45DG316F150BSP	G316	025NB (1")	BSP ELBOW 45DEG F/F 150LB G316	0.14
FPTEF032NB45DG316F150BSP	G316	032NB (1-1/4")	BSP ELBOW 45DEG F/F 150LB G316	0.24
FPTEF040NB45DG316F150BSP	G316	040NB (1-1/2")	BSP ELBOW 45DEG F/F 150LB G316	0.36
FPTEF050NB45DG316F150BSP	G316	050NB (2")	BSP ELBOW 45DEG F/F 150LB G316	0.44
FPTEF080NB45DG316F150BSP	G316	080NB (3")	BSP ELBOW 45DEG F/F 150LB G316	0.53

90° Elbow (F/F) – BSP/NPT

Grades: 316
Style: Female/Female

Threads: BSP/NPT Parallel
Rating: 150LB
Unit of Supply: Each



Product Code	Grade	Product Size (mm)	Description	Weight ea (kg)
FPTEF006NB90DG316F150BSP	G316	006NB (1/8")	BSP ELBOW 90DEG F/F 150LB G316	0.03
FPTEF008NB90DG316F150BSP	G316	008NB (1/4")	BSP ELBOW 90DEG F/F 150LB G316	0.04
FPTEF010NB90DG316F150BSP	G316	010NB (3/8")	BSP ELBOW 90DEG F/F 150LB G316	0.06
FPTEF015NB90DG316F150BSP	G316	015NB (1/2")	BSP ELBOW 90DEG F/F 150LB G316	0.11
FPTEF020NB90DG316F150BSP	G316	020NB (3/4")	BSP ELBOW 90DEG F/F 150LB G316	0.19
FPTEF025NB90DG316F150BSP	G316	025NB (1")	BSP ELBOW 90DEG F/F 150LB G316	0.26
FPTEF032NB90DG316F150BSP	G316	032NB (1-1/4")	BSP ELBOW 90DEG F/F 150LB G316	0.53
FPTEF040NB90DG316F150BSP	G316	040NB (1-1/2")	BSP ELBOW 90DEG F/F 150LB G316	0.73
FPTEF050NB90DG316F150BSP	G316	050NB (2")	BSP ELBOW 90DEG F/F 150LB G316	0.88
FPTEF065NB90DG316F150BSP	G316	065NB (2-1/2")	BSP ELBOW 90DEG F/F 150LB G316	0.95
FPTEF080NB90DG316F150BSP	G316	080NB (3")	BSP ELBOW 90DEG F/F 150LB G316	1.05
FPTEF100NB90DG316F150BSP	G316	100NB (4")	BSP ELBOW 90DEG F/F 150LB G316	1.20
FPTEF015NBG316150NPT	G316L	015NB (1/2")	NPT ELBOW 90DEG F/F 150LB G316	0.11
FPTEF020NBG316150NPT	G316L	020NB (3/4")	NPT ELBOW 90DEG F/F 150LB G316	0.19
FPTEF025NBG316150NPT	G316L	025NB (1")	NPT ELBOW 90DEG F/F 150LB G316	0.26
FPTEF032NBG316150NPT	G316L	032NB (1-1/4")	NPT ELBOW 90DEG F/F 150LB G316	0.53
FPTEF040NBG316150NPT	G316L	040NB (1-1/2")	NPT ELBOW 90DEG F/F 150LB G316	0.73
FPTEF050NBG316150NPT	G316L	050NB (2")	NPT ELBOW 90DEG F/F 150LB G316	0.88

Low Pressure 150LB BSP/NPT Threaded Fittings

90° Street Elbow (M/F) – BSP

Grades: 316
Style: Male/Female

Threads: BSP Taper/Parallel
Rating: 150LB
Unit of Supply: Each



FPTES

Product Code	Grade	Product Size (mm)	Description	Weight ea (kg)
FPTES006NB90DG316S150BSP	G316	006NB (1/8")	BSP STREET ELBOW 90DEG M/F 150LB G316	0.02
FPTES008NB90DG316S150BSP	G316	008NB (1/4")	BSP STREET ELBOW 90DEG M/F 150LB G316	0.03
FPTES010NB90DG316S150BSP	G316	010NB (3/8")	BSP STREET ELBOW 90DEG M/F 150LB G316	0.06
FPTES015NB90DG316S150BSP	G316	015NB (1/2")	BSP STREET ELBOW 90DEG M/F 150LB G316	0.09
FPTES020NB90DG316S150BSP	G316	020NB (3/4")	BSP STREET ELBOW 90DEG M/F 150LB G316	0.15
FPTES025NB90DG316S150BSP	G316	025NB (1")	BSP STREET ELBOW 90DEG M/F 150LB G316	0.19
FPTES032NB90DG316S150BSP	G316	032NB (1-1/4")	BSP STREET ELBOW 90DEG M/F 150LB G316	0.23
FPTES040NB90DG316S150BSP	G316	040NB (1-1/2")	BSP STREET ELBOW 90DEG M/F 150LB G316	0.48
FPTES050NB90DG316S150BSP	G316	050NB (2")	BSP STREET ELBOW 90DEG M/F 150LB G316	0.70

Tee – BSP/NPT

Grades: 316
Style: Female/Female

Threads: BSP/NPT Parallel
Rating: 150LB
Unit of Supply: Each



FPTTE

Product Code	Grade	Product Size (mm)	Description	Weight ea (kg)
FPTTE006NBG316150BSP	G316	006NB (1/8")	BSP TEE 150LB G316	0.03
FPTTE008NBG316150BSP	G316	008NB (1/4")	BSP TEE 150LB G316	0.05
FPTTE010NBG316150BSP	G316	010NB (3/8")	BSP TEE 150LB G316	0.03
FPTTE015NBG316150BSP	G316	015NB (1/2")	BSP TEE 150LB G316	0.14
FPTTE020NBG316150BSP	G316	020NB (3/4")	BSP TEE 150LB G316	0.25
FPTTE025NBG316150BSP	G316	025NB (1")	BSP TEE 150LB G316	0.35
FPTTE032NBG316150BSP	G316	032NB (1-1/4")	BSP TEE 150LB G316	0.65
FPTTE040NBG316150BSP	G316	040NB (1-1/2")	BSP TEE 150LB G316	0.89
FPTTE050NBG316150BSP	G316	050NB (2")	BSP TEE 150LB G316	1.05
FPTTE065NBG316150BSP	G316	065NB (2-1/2")	BSP TEE 150LB G316	1.70
FPTTE080NBG316150BSP	G316	080NB (3")	BSP TEE 150LB G316	3.44
FPTTE015NBG316150NPT	G316L	015NB (1/2")	NPT TEE 150LB G316	0.14
FPTTE020NBG316150NPT	G316L	020NB (3/4")	NPT TEE 150LB G316	0.25
FPTTE025NBG316150NPT	G316L	025NB (1")	NPT TEE 150LB G316	0.35
FPTTE032NBG316150NPT	G316L	032NB (1-1/4")	NPT TEE 150LB G316	0.65
FPTTE040NBG316150NPT	G316L	040NB (1-1/2")	NPT TEE 150LB G316	0.89
FPTTE050NBG316150NPT	G316L	050NB (2")	NPT TEE 150LB G316	1.05

Low Pressure 150LB BSP/NPT Threaded Fittings

Hex Cap – BSP

Grades: 316
Style: Female

Threads: BSP Parallel
Rating: 150LB
Unit of Supply: Each



FPTHC

Product Code	Grade	Product Size (mm)	Description	Weight ea (kg)
FPTHC008NBG316150BSP	G316	008NB (1/4")	BSP HEX CAP 150LB G316	0.03
FPTHC010NBG316150BSP	G316	010NB (3/8")	BSP HEX CAP 150LB G316	0.04
FPTHC015NBG316150BSP	G316	015NB (1/2")	BSP HEX CAP 150LB G316	0.06
FPTHC020NBG316150BSP	G316	020NB (3/4")	BSP HEX CAP 150LB G316	0.08
FPTHC025NBG316150BSP	G316	025NB (1")	BSP HEX CAP 150LB G316	0.17
FPTHC032NBG316150BSP	G316	032NB (1-1/4")	BSP HEX CAP 150LB G316	0.25
FPTHC040NBG316150BSP	G316	040NB (1-1/2")	BSP HEX CAP 150LB G316	0.30
FPTHC050NBG316150BSP	G316	050NB (2")	BSP HEX CAP 150LB G316	0.53

Hex Back Nut – BSP

Grades: 316
Style: Female

Threads: BSP Parallel
Rating: 150LB
Unit of Supply: Each



FPTNU

Product Code	Grade	Product Size (mm)	Description	Weight ea (kg)
FPTNU015NBG316150BSP	G316	015NB (1/2")	BSP BACK NUT 150LB G316	0.04
FPTNU020NBG316150BSP	G316	020NB (3/4")	BSP BACK NUT 150LB G316	0.05
FPTNU025NBG316150BSP	G316	025NB (1")	BSP BACK NUT 150LB G316	0.09
FPTNU032NBG316150BSP	G316	032NB (1-1/4")	BSP BACK NUT 150LB G316	0.13
FPTNU040NBG316150BSP	G316	040NB (1-1/2")	BSP BACK NUT 150LB G316	0.15
FPTNU050NBG316150BSP	G316	050NB (2")	BSP BACK NUT 150LB G316	0.25

Low Pressure 150LB BSP/NPT Threaded Fittings

Hex Head Plug – BSP/NPT

Grades: 316
Style: Male

Threads: BSP/NPT Taper
Rating: 150LB
Unit of Supply: Each



Product Code	Grade	Product Size (mm)	Description	Weight ea (kg)
FPTHP006NBG316150BSP	G316	006NB (1/8")	BSP HEX PLUG 150LB G316	0.02
FPTHP008NBG316150BSP	G316	008NB (1/4")	BSP HEX PLUG 150LB G316	0.02
FPTHP010NBG316150BSP	G316	010NB (3/8")	BSP HEX PLUG 150LB G316	0.03
FPTHP015NBG316150BSP	G316	015NB (1/2")	BSP HEX PLUG 150LB G316	0.06
FPTHP020NBG316150BSP	G316	020NB (3/4")	BSP HEX PLUG 150LB G316	0.11
FPTHP025NBG316150BSP	G316	025NB (1")	BSP HEX PLUG 150LB G316	0.19
FPTHP032NBG316150BSP	G316	032NB (1-1/4")	BSP HEX PLUG 150LB G316	0.37
FPTHP040NBG316150BSP	G316	040NB (1-1/2")	BSP HEX PLUG 150LB G316	0.49
FPTHP050NBG316150BSP	G316	050NB (2")	BSP HEX PLUG 150LB G316	0.60
FPTHP065NBG316150BSP	G316	065NB (2-1/2")	BSP HEX PLUG 150LB G316	0.76
FPTHP080NBG316150BSP	G316	080NB (3")	BSP HEX PLUG 150LB G316	0.93
FPTHP015NBG316150NPT	G316L	015NB (1/2")	NPT HEX PLUG 150LB G316	0.06
FPTHP020NBG316150NPT	G316L	020NB (3/4")	NPT HEX PLUG 150LB G316	0.11
FPTHP025NBG316150NPT	G316L	025NB (1")	NPT HEX PLUG 150LB G316	0.19
FPTHP032NBG316150NPT	G316L	032NB (1-1/4")	NPT HEX PLUG 150LB G316	0.37
FPTHP040NBG316150NPT	G316L	040NB (1-1/2")	NPT HEX PLUG 150LB G316	0.49
FPTHP050NBG316150NPT	G316L	050NB (2")	NPT HEX PLUG 150LB G316	0.60

Half Socket – BSP

Grades: 316
Style: Female

Threads: BSP Parallel
Rating: 150LB
Unit of Supply: Each



Product Code	Grade	Product Size (mm)	Description	Weight ea (kg)
FPTHS008NBG316150BSP	G316	008NB (1/4")	BSP HALF SOCKET 150LB G316	0.01
FPTHS010NBG316150BSP	G316	010NB (3/8")	BSP HALF SOCKET 150LB G316	0.01
FPTHS015NBG316150BSP	G316	015NB (1/2")	BSP HALF SOCKET 150LB G316	0.04
FPTHS020NBG316150BSP	G316	020NB (3/4")	BSP HALF SOCKET 150LB G316	0.05
FPTHS025NBG316150BSP	G316	025NB (1")	BSP HALF SOCKET 150LB G316	0.08
FPTHS032NBG316150BSP	G316	032NB (1-1/4")	BSP HALF SOCKET 150LB G316	0.10
FPTHS040NBG316150BSP	G316	040NB (1-1/2")	BSP HALF SOCKET 150LB G316	0.14

Low Pressure 150LB BSP/NPT Threaded Fittings

Socket – BSP/NPT

Grades: 316
Style: Female/Female

Threads: BSP/NPT Parallel
Rating: 150LB
Unit of Supply: Each



Product Code	Grade	Product Size (mm)	Description	Weight ea (kg)
FPTS006NBG316150BSP	G316	006NB (1/8")	BSP SOCKET 150LB G316	0.01
FPTS008NBG316150BSP	G316	008NB (1/4")	BSP SOCKET 150LB G316	0.03
FPTS010NBG316150BSP	G316	010NB (3/8")	BSP SOCKET 150LB G316	0.03
FPTS015NBG316150BSP	G316	015NB (1/2")	BSP SOCKET 150LB G316	0.07
FPTS020NBG316150BSP	G316	020NB (3/4")	BSP SOCKET 150LB G316	0.09
FPTS025NBG316150BSP	G316	025NB (1")	BSP SOCKET 150LB G316	0.15
FPTS032NBG316150BSP	G316	032NB (1-1/4")	BSP SOCKET 150LB G316	0.19
FPTS040NBG316150BSP	G316	040NB (1-1/2")	BSP SOCKET 150LB G316	0.27
FPTS050NBG316150BSP	G316	050NB (2")	BSP SOCKET 150LB G316	0.43
FPTS065NBG316150BSP	G316	065NB (2-1/2")	BSP SOCKET 150LB G316	0.51
FPTS080NBG316150BSP	G316	080NB (3")	BSP SOCKET 150LB G316	0.66
FPTS100NBG316150BSP	G316	100NB (4")	BSP SOCKET 150LB G316	0.96
FPTS015NBG316150NPT	G316L	015NB (1/2")	NPT SOCKET 150LB G316	0.07
FPTS020NBG316150NPT	G316L	020NB (3/4")	NPT SOCKET 150LB G316	0.10
FPTS025NBG316150NPT	G316L	025NB (1")	NPT SOCKET 150LB G316	0.17
FPTS032NBG316150NPT	G316L	032NB (1-1/4")	NPT SOCKET 150LB G316	0.23
FPTS040NBG316150NPT	G316L	040NB (1-1/2")	NPT SOCKET 150LB G316	0.25
FPTS050NBG316150NPT	G316L	050NB (2")	NPT SOCKET 150LB G316	0.37

Reducing Socket – BSP

Grades: 316
Style: Female/Female

Threads: BSP Parallel
Rating: 150LB
Unit of Supply: Each



Product Code	Grade	Product Size (mm)	Description	Weight ea (kg)
FPTRS015008NBG316150BSP	G316	015NB x 008NB (1/2" x 1/4")	BSP REDUCING SOCKET 150LB G316	0.08
FPTRS015010NBG316150BSP	G316	015NB x 010NB (1/2" x 3/8")	BSP REDUCING SOCKET 150LB G316	0.08
FPTRS020015NBG316150BSP	G316	020NB x 015NB (3/4" x 1/2")	BSP REDUCING SOCKET 150LB G316	0.10
FPTRS025008NBG316150BSP	G316	025NB x 008NB (1" x 1/4")	BSP REDUCING SOCKET 150LB G316	0.30
FPTRS025010NBG316150BSP	G316	025NB x 010NB (1" x 3/8")	BSP REDUCING SOCKET 150LB G316	0.17
FPTRS025015NBG316150BSP	G316	025NB x 015NB (1" x 1/2")	BSP REDUCING SOCKET 150LB G316	0.16
FPTRS025020NBG316150BSP	G316	025NB x 020NB (1" x 3/4")	BSP REDUCING SOCKET 150LB G316	0.17
FPTRS032020NBG316150BSP	G316	032NB x 020NB (1-1/4" x 3/4")	BSP REDUCING SOCKET 150LB G316	0.26
FPTRS032025NBG316150BSP	G316	032NB x 025NB (1-1/4" x 1")	BSP REDUCING SOCKET 150LB G316	0.25
FPTRS040020NBG316150BSP	G316	040NB x 020NB (1-1/2" x 3/4")	BSP REDUCING SOCKET 150LB G316	0.15
FPTRS040025NBG316150BSP	G316	040NB x 025NB (1-1/2" x 1")	BSP REDUCING SOCKET 150LB G316	0.15
FPTRS040032NBG316150BSP	G316	040NB x 032NB (1-1/2" x 1-1/4")	BSP REDUCING SOCKET 150LB G316	0.30
FPTRS050025NBG316150BSP	G316	050NB x 025NB (2" x 1")	BSP REDUCING SOCKET 150LB G316	0.66
FPTRS050032NBG316150BSP	G316	050NB x 032NB (2" x 1-1/4")	BSP REDUCING SOCKET 150LB G316	0.59
FPTRS050040NBG316150BSP	G316	050NB x 040NB (2" x 1-1/2")	BSP REDUCING SOCKET 150LB G316	0.61

Low Pressure 150LB BSP/NPT Threaded Fittings

Barrel Nipple – BSP/NPT

Grades: 316
Style: Male/Male

Threads: BSP/NPT Taper
Rating: 150LB
Unit of Supply: Each



FPTBN

Product Code	Grade	Product Size (mm)	Description	Weight ea (kg)
FPTBN006NBG316150BSP	G316	006NB (1/8")	BSP BARREL NIPPLE 150LB G316	0.01
FPTBN008NBG316150BSP	G316	008NB (1/4")	BSP BARREL NIPPLE 150LB G316	0.02
FPTBN010NBG316150BSP	G316	010NB (3/8")	BSP BARREL NIPPLE 150LB G316	0.03
FPTBN015NBG316150BSP	G316	015NB (1/2")	BSP BARREL NIPPLE 150LB G316	0.06
FPTBN020NBG316150BSP	G316	020NB (3/4")	BSP BARREL NIPPLE 150LB G316	0.07
FPTBN025NBG316150BSP	G316	025NB (1")	BSP BARREL NIPPLE 150LB G316	0.11
FPTBN032NBG316150BSP	G316	032NB (1-1/4")	BSP BARREL NIPPLE 150LB G316	0.19
FPTBN040NBG316150BSP	G316	040NB (1-1/2")	BSP BARREL NIPPLE 150LB G316	0.22
FPTBN050NBG316150BSP	G316	050NB (2")	BSP BARREL NIPPLE 150LB G316	0.39
FPTBN065NBG316150BSP	G316	065NB (2-1/2")	BSP BARREL NIPPLE 150LB G316	0.47
FPTBN080NBG316150BSP	G316	080NB (3")	BSP BARREL NIPPLE 150LB G316	0.77
FPTBN100NBG316150BSP	G316	100NB (4")	BSP BARREL NIPPLE 150LB G316	0.88
FPTBN015NBG316150NPT	G316L	015NB (1/2")	NPT BARREL NIPPLE 150LB G316	0.06
FPTBN020NBG316150NPT	G316L	020NB (3/4")	NPT BARREL NIPPLE 150LB G316	0.08
FPTBN025NBG316150NPT	G316L	025NB (1")	NPT BARREL NIPPLE 150LB G316	0.12
FPTBN032NBG316150NPT	G316L	032NB (1-1/4")	NPT BARREL NIPPLE 150LB G316	0.21
FPTBN040NBG316150NPT	G316L	040NB (1-1/2")	NPT BARREL NIPPLE 150LB G316	0.24
FPTBN050NBG316150NPT	G316L	050NB (2")	NPT BARREL NIPPLE 150LB G316	0.41

Hex Nipple Equal – BSP

Grades: 316
Style: Male/Male

Threads: BSP Taper
Rating: 150LB
Unit of Supply: Each



FPTHN

Product Code	Grade	Product Size (mm)	Description	Weight ea (kg)
FPTHN006NBG316150BSP	G316	006NB (1/8")	BSP HEX NIPPLE 150LB G316	0.01
FPTHN008NBG316150BSP	G316	008NB (1/4")	BSP HEX NIPPLE 150LB G316	0.02
FPTHN010NBG316150BSP	G316	010NB (3/8")	BSP HEX NIPPLE 150LB G316	0.03
FPTHN015NBG316150BSP	G316	015NB (1/2")	BSP HEX NIPPLE 150LB G316	0.05
FPTHN020NBG316150BSP	G316	020NB (3/4")	BSP HEX NIPPLE 150LB G316	0.09
FPTHN025NBG316150BSP	G316	025NB (1")	BSP HEX NIPPLE 150LB G316	0.14
FPTHN032NBG316150BSP	G316	032NB (1-1/4")	BSP HEX NIPPLE 150LB G316	0.25
FPTHN040NBG316150BSP	G316	040NB (1-1/2")	BSP HEX NIPPLE 150LB G316	0.28
FPTHN050NBG316150BSP	G316	050NB (2")	BSP HEX NIPPLE 150LB G316	0.47
FPTHN065NBG316150BSP	G316	065NB (2-1/2")	BSP HEX NIPPLE 150LB G316	0.71
FPTHN080NBG316150BSP	G316	080NB (3")	BSP HEX NIPPLE 150LB G316	0.95

Low Pressure 150LB BSP/NPT Threaded Fittings

Hex Reducing Nipple – BSP

Grades: 316
Style: Male/Male

Threads: BSP Taper
Rating: 150LB
Unit of Supply: Each



FPTRN

Product Code	Grade	Product Size (mm)	Description	Weight ea (kg)
FPTRN008006NBG3161508SP	G316	008NB x 006NB (1/4" x 1/8")	BSP REDUCING HEX NIPPLE 150LB G316	0.02
FPTRN015008NBG316150BSP	G316	015NB x 008NB (1/2" x 1/4")	BSP REDUCING HEX NIPPLE 150LB G316	0.04
FPTRN015010NBG316150BSP	G316	015NB x 010NB (1/2" x 3/8")	BSP REDUCING HEX NIPPLE 150LB G316	0.05
FPTRN020008NBG316150BSP	G316	020NB x 008NB (3/4" x 1/4")	BSP REDUCING HEX NIPPLE 150LB G316	0.07
FPTRN020010NBG316150BSP	G316	020NB x 010NB (3/4" x 3/8")	BSP REDUCING HEX NIPPLE 150LB G316	0.13
FPTRN020015NBG316150BSP	G316	020NB x 015NB (3/4" x 1/2")	BSP REDUCING HEX NIPPLE 150LB G316	0.13
FPTRN025010NBG316150BSP	G316	025NB x 010NB (1" x 3/8")	BSP REDUCING HEX NIPPLE 150LB G316	0.13
FPTRN025015NBG316150BSP	G316	025NB x 015NB (1" x 1/2")	BSP REDUCING HEX NIPPLE 150LB G316	0.17
FPTRN025020NBG316150BSP	G316	025NB x 020NB (1" x 3/4")	BSP REDUCING HEX NIPPLE 150LB G316	0.13
FPTRN032015NBG316150BSP	G316	032NB x 015NB (1-1/4" x 1/2")	BSP REDUCING HEX NIPPLE 150LB G316	0.23
FPTRN032020NBG316150BSP	G316	032NB x 020NB (1-1/4" x 3/4")	BSP REDUCING HEX NIPPLE 150LB G316	0.25
FPTRN032025NBG316150BSP	G316	032NB x 025NB (1-1/4" x 1")	BSP REDUCING HEX NIPPLE 150LB G316	0.25
FPTRN040015NBG316150BSP	G316	040NB x 015NB (1-1/2" x 1/2")	BSP REDUCING HEX NIPPLE 150LB G316	0.22
FPTRN040020NBG316150BSP	G316	040NB x 020NB (1-1/2" x 3/4")	BSP REDUCING HEX NIPPLE 150LB G316	0.22
FPTRN040025NBG316150BSP	G316	040NB x 025NB (1-1/2" x 1")	BSP REDUCING HEX NIPPLE 150LB G316	0.26
FPTRN040032NBG316150BSP	G316	040NB x 032NB (1-1/2" x 1-1/4")	BSP REDUCING HEX NIPPLE 150LB G316	0.26
FPTRN050025NBG316150BSP	G316	050NB x 025NB (2" x 1")	BSP REDUCING HEX NIPPLE 150LB G316	0.40
FPTRN050032NBG316150BSP	G316	050NB x 032NB (2" x 1-1/4")	BSP REDUCING HEX NIPPLE 150LB G316	0.40
FPTRN050040NBG316150BSP	G316	050NB x 040NB (2" x 1-1/2")	BSP REDUCING HEX NIPPLE 150LB G316	0.40
FPTRN080050NBG316150BSP	G316	080NB x 050NB (3" x 2")	BSP REDUCING HEX NIPPLE 150LB G316	1.07

Low Pressure 150LB BSP/NPT Threaded Fittings

Weld Nipple – BSP/NPT

Grades: 316
Style: Male
Threads: BSP/NPT Taper
Rating: 150LB
Unit of Supply: Each



FPTWN

Product Code	Grade	Product Size (mm)	Description	Weight ea (kg)
FPTWN006NBG316150BSP	G316	006NB (1/8")	BSP WELD NIPPLE 150LB G316	0.01
FPTWN008NBG316150BSP	G316	008NB (1/4")	BSP WELD NIPPLE 150LB G316	0.02
FPTWN010NBG316150BSP	G316	010NB (3/8")	BSP WELD NIPPLE 150LB G316	0.02
FPTWN015NBG316150BSP	G316	015NB (1/2")	BSP WELD NIPPLE 150LB G316	0.03
FPTWN020NBG316150BSP	G316	020NB (3/4")	BSP WELD NIPPLE 150LB G316	0.05
FPTWN025NBG316150BSP	G316	025NB (1")	BSP WELD NIPPLE 150LB G316	0.07
FPTWN032NBG316150BSP	G316	032NB (1-1/4")	BSP WELD NIPPLE 150LB G316	0.13
FPTWN040NBG316150BSP	G316	040NB (1-1/2")	BSP WELD NIPPLE 150LB G316	0.15
FPTWN050NBG316150BSP	G316	050NB (2")	BSP WELD NIPPLE 150LB G316	0.23
FPTWN065NBG316150BSP	G316	065NB (2-1/2")	BSP WELD NIPPLE 150LB G316	0.31
FPTWN080NBG316150BSP	G316	080NB (3")	BSP WELD NIPPLE 150LB G316	0.43
FPTWN100NBG316150BSP	G316	100NB (4")	BSP WELD NIPPLE 150LB G316	1.00
FPTWN015NBG316150NPT	G316L	015NB (1/2")	NPT WELD NIPPLE 150LB G316	0.04
FPTWN020NBG316150NPT	G316L	020NB (3/4")	NPT WELD NIPPLE 150LB G316	0.06
FPTWN025NBG316150NPT	G316L	025NB (1")	NPT WELD NIPPLE 150LB G316	0.08
FPTWN032NBG316150NPT	G316L	032NB (1-1/4")	NPT WELD NIPPLE 150LB G316	0.14
FPTWN040NBG316150NPT	G316L	040NB (1-1/2")	NPT WELD NIPPLE 150LB G316	0.16
FPTWN050NBG316150NPT	G316L	050NB (2")	NPT WELD NIPPLE 150LB G316	0.20

Reducing Weld Nipple – BSP

Grades: 316
Style: Male/Plain
Threads: BSP Taper
Rating: 150LB
Unit of Supply: Each



FTTRWN

Product Code	Grade	Product Size (mm)	Description	Weight ea (kg)
FTTRWN0127G316150BSP	G316	12.70mm x 015NB (1/2")	BSP REDUCING WELD NIPPLE 150LB G316	0.04
FTTRWN0190G316150BSP	G316	19.05mm x 020NB (3/4")	BSP REDUCING WELD NIPPLE 150LB G316	0.06
FTTRWN0254G316150BSP	G316	25.40mm x 025NB (1")	BSP REDUCING WELD NIPPLE 150LB G316	0.08
FTTRWN0318G316150BSP	G316	31.80mm x 032NB (1-1/4")	BSP REDUCING WELD NIPPLE 150LB G316	0.11
FTTRWN0381G316150BSP	G316	38.10mm x 040NB (1-1/2")	BSP REDUCING WELD NIPPLE 150LB G316	0.15
FTTRWN0508G316150BSP	G316	50.80mm x 050NB (2")	BSP REDUCING WELD NIPPLE 150LB G316	0.20
FTTRWN0635G316150BSP	G316	63.50mm x 065NB (2-1/2")	BSP REDUCING WELD NIPPLE 150LB G316	0.41
FTTRWN0762G316150BSP	G316	76.20mm x 080NB (3")	BSP REDUCING WELD NIPPLE 150LB G316	0.55
FTTRWN1016G316150BSP	G316	101.6mm x 100NB (4")	BSP REDUCING WELD NIPPLE 150LB G316	0.80

Weld Nipple Tube Adapters are also available – pg 109

Low Pressure 150LB BSP/NPT Threaded Fittings

Hex Reducing Bush – BSP

Grades: 316
Style: Male/Female
Threads: BSP Taper
Rating: 150LB
Unit of Supply: Each



FPTBU

Product Code	Grade	Product Size (mm)	Description	Weight ea (kg)
FPTBU008006NBG316150BSP	G316	008NB x 006NB (1/4" x 1/8")	BSP REDUCING BUSH 150LB G316	0.01
FPTBU010006NBG316150BSP	G316	010NB x 006NB (3/8" x 1/8")	BSP REDUCING BUSH 150LB G316	0.02
FPTBU010008NBG316150BSP	G316	010NB x 008NB (3/8" x 1/4")	BSP REDUCING BUSH 150LB G316	0.02
FPTBU015006NBG316150BSP	G316	015NB x 006NB (1/2" x 1/8")	BSP REDUCING BUSH 150LB G316	0.02
FPTBU015008NBG316150BSP	G316	015NB x 008NB (1/2" x 1/4")	BSP REDUCING BUSH 150LB G316	0.04
FPTBU015010NBG316150BSP	G316	015NB x 010NB (1/2" x 3/8")	BSP REDUCING BUSH 150LB G316	0.04
FPTBU020008NBG316150BSP	G316	020NB x 008NB (3/4" x 1/4")	BSP REDUCING BUSH 150LB G316	0.02
FPTBU020010NBG316150BSP	G316	020NB x 010NB (3/4" x 3/8")	BSP REDUCING BUSH 150LB G316	0.05
FPTBU020015NBG316150BSP	G316	020NB x 015NB (3/4" x 1/2")	BSP REDUCING BUSH 150LB G316	0.05
FPTBU025008NBG316150BSP	G316	025NB x 008NB (1" x 1/4")	BSP REDUCING BUSH 150LB G316	0.15
FPTBU025010NBG316150BSP	G316	025NB x 010NB (1" x 3/8")	BSP REDUCING BUSH 150LB G316	0.15
FPTBU025015NBG316150BSP	G316	025NB x 015NB (1" x 1/2")	BSP REDUCING BUSH 150LB G316	0.15
FPTBU025020NBG316150BSP	G316	025NB x 020NB (1" x 3/4")	BSP REDUCING BUSH 150LB G316	0.08
FPTBU032010NBG316150BSP	G316	032NB x 010NB (1-1/4" x 3/8")	BSP REDUCING BUSH 150LB G316	0.21
FPTBU032015NBG316150BSP	G316	032NB x 015NB (1-1/4" x 1/2")	BSP REDUCING BUSH 150LB G316	0.21
FPTBU032020NBG316150BSP	G316	032NB x 020NB (1-1/4" x 3/4")	BSP REDUCING BUSH 150LB G316	0.17
FPTBU032025NBG316150BSP	G316	032NB x 025NB (1-1/4" x 1")	BSP REDUCING BUSH 150LB G316	0.17
FPTBU040015NBG316150BSP	G316	040NB x 015NB (1-1/2" x 1/2")	BSP REDUCING BUSH 150LB G316	0.23
FPTBU040020NBG316150BSP	G316	040NB x 020NB (1-1/2" x 3/4")	BSP REDUCING BUSH 150LB G316	0.23
FPTBU040025NBG316150BSP	G316	040NB x 025NB (1-1/2" x 1")	BSP REDUCING BUSH 150LB G316	0.22
FPTBU040032NBG316150BSP	G316	040NB x 032NB (1-1/2" x 1-1/4")	BSP REDUCING BUSH 150LB G316	0.22
FPTBU050025NBG316150BSP	G316	050NB x 025NB (2" x 1")	BSP REDUCING BUSH 150LB G316	0.35
FPTBU050032NBG316150BSP	G316	050NB x 032NB (2" x 1-1/4")	BSP REDUCING BUSH 150LB G316	0.35
FPTBU050040NBG316150BSP	G316	050NB x 040NB (2" x 1-1/2")	BSP REDUCING BUSH 150LB G316	0.50
FPTBU065050NBG316150BSP	G316	065NB x 050NB (2-1/2" x 2")	BSP REDUCING BUSH 150LB G316	0.71
FPTBU080050NBG316150BSP	G316	080NB x 050NB (3" x 2")	BSP REDUCING BUSH 150LB G316	0.88
FPTBU080065NBG316150BSP	G316	080NB x 065NB (3" x 2-1/2")	BSP REDUCING BUSH 150LB G316	1.23
FPTBU100080NBG316150BSP	G316	100NB x 080NB (4" x 3")	BSP REDUCING BUSH 150LB G316	2.17

Low Pressure 150LB BSP/NPT Threaded Fittings

3-Piece Union – BSP/NPT

Grades: 316
Style: Female/Female

Threads: BSP/NPT Taper
Rating: 150LB
Unit of Supply: Each




FPTUN

Product Code	Grade	Product Size (mm)	Description	Weight ea (kg)
FPTUN006NBG316150BSP	G316	006NB (1/8")	BSP UNION 150LB G316	0.08
FPTUN008NBG316150BSP	G316	008NB (1/4")	BSP UNION 150LB G316	0.09
FPTUN010NBG316150BSP	G316	010NB (3/8")	BSP UNION 150LB G316	0.12
FPTUN015NBG316150BSP	G316	015NB (1/2")	BSP UNION 150LB G316	0.23
FPTUN020NBG316150BSP	G316	020NB (3/4")	BSP UNION 150LB G316	0.35
FPTUN025NBG316150BSP	G316	025NB (1")	BSP UNION 150LB G316	0.43
FPTUN032NBG316150BSP	G316	032NB (1-1/4")	BSP UNION 150LB G316	0.77
FPTUN040NBG316150BSP	G316	040NB (1-1/2")	BSP UNION 150LB G316	0.89
FPTUN050NBG316150BSP	G316	050NB (2")	BSP UNION 150LB G316	1.35
FPTUN065NBG316150BSP	G316	065NB (2-1/2")	BSP UNION 150LB G316	1.20
FPTUN080NBG316150BSP	G316	080NB (3")	BSP UNION 150LB G316	3.10
FPTUN100NBG316150BSP	G316	100NB (4")	BSP UNION 150LB G316	4.82
FPTUN015NBG316150NPT	G316L	015NB (1/2")	NPT UNION 150LB G316	0.17
FPTUN020NBG316150NPT	G316L	020NB (3/4")	NPT UNION 150LB G316	0.25
FPTUN025NBG316150NPT	G316L	025NB (1")	NPT UNION 150LB G316	0.40
FPTUN032NBG316150NPT	G316L	032NB (1 1/4")	NPT UNION 150LB G316	0.56
FPTUN040NBG316150NPT	G316L	040NB (1 1/2")	NPT UNION 150LB G316	0.71
FPTUN050NBG316150NPT	G316L	050NB (2")	NPT UNION 150LB G316	1.10

Hex Hose Tail – BSP

Grades: 316
Style: Male/Hose Tail

Threads: BSP Taper
Rating: 150LB
Unit of Supply: Each



FPTHT

Product Code	Grade	Product Size (mm)	Description	Weight ea (kg)
FPTHT008NBG316150BSP	G316	008NB (1/4")	BSP HOSE TAIL 150LB G316	0.03
FPTHT010NBG316150BSP	G316	010NB (3/8")	BSP HOSE TAIL 150LB G316	0.05
FPTHT015NBG316150BSP	G316	015NB (1/2")	BSP HOSE TAIL 150LB G316	0.08
FPTHT020NBG316150BSP	G316	020NB (3/4")	BSP HOSE TAIL 150LB G316	0.13
FPTHT025NBG316150BSP	G316	025NB (1")	BSP HOSE TAIL 150LB G316	0.21
FPTHT032NBG316150BSP	G316	032NB (1-1/4")	BSP HOSE TAIL 150LB G316	0.26
FPTHT040NBG316150BSP	G316	040NB (1-1/2")	BSP HOSE TAIL 150LB G316	0.35
FPTHT050NBG316150BSP	G316	050NB (2")	BSP HOSE TAIL 150LB G316	0.58
FPTHT065NBG316150BSP	G316	065NB (2-1/2")	BSP HOSE TAIL 150LB G316	0.77
FPTHT080NBG316150BSP	G316	080NB (3")	BSP HOSE TAIL 150LB G316	0.89

Low Pressure 150LB BSP/NPT Threaded Fittings

Weld Nipple Male Adapter – BSP

Grades: 316
Style: Male RJT

Threads: BSP Taper
Rating: 150LB
Unit of Supply: Each



FPTWNM

Product Code	Grade	Product Size (mm)	Description	Weight ea (kg)
FPTWNM025NBG316150BSP	G316	025NB (1")	BSP WELD NIPPLE MALE PART ADAPTOR 150LB G316 (4F)	0.28
FPTWNM040NBG316150BSP	G316	040NB (1-1/2")	BSP WELD NIPPLE MALE PART ADAPTOR 150LB G316 (4F)	0.63
FPTWNM050NBG316150BSP	G316	050NB (2")	BSP WELD NIPPLE MALE PART ADAPTOR 150LB G316 (4F)	0.86
FPTWNM065NBG316150BSP	G316	065NB (2-1/2")	BSP WELD NIPPLE MALE PART ADAPTOR 150LB G316 (4F)	1.01
FPTWNM080NBG316150BSP	G316	080NB (3")	BSP WELD NIPPLE MALE PART ADAPTOR 150LB G316 (4F)	1.09
FPTWNM100NBG316150BSP	G316	100NB (4")	BSP WELD NIPPLE MALE PART ADAPTOR 150LB G316 (4F)	1.37

Weld Nipple Hex Nut Adapter – BSP

Grades: 316
Style: Hex Nut RJT

Threads: BSP Taper
Rating: 150LB
Unit of Supply: Each



FPTWNH

Product Code	Grade	Product Size (mm)	Description	Weight ea (kg)
FPTWNH025NBG316150BSP	G316	025NB (1")	BSP WELD NIPPLE HEX NUT ADAPTOR 150LB G316 (4F)	0.41
FPTWNH040NBG316150BSP	G316	040NB (1-1/2")	BSP WELD NIPPLE HEX NUT ADAPTOR 150LB G316 (4F)	1.07
FPTWNH050NBG316150BSP	G316	050NB (2")	BSP WELD NIPPLE HEX NUT ADAPTOR 150LB G316 (4F)	1.27
FPTWNH065NBG316150BSP	G316	065NB (2-1/2")	BSP WELD NIPPLE HEX NUT ADAPTOR 150LB G316 (4F)	1.43
FPTWNH080NBG316150BSP	G316	080NB (3")	BSP WELD NIPPLE HEX NUT ADAPTOR 150LB G316 (4F)	1.86
FPTWNH100NBG316150BSP	G316	100NB (4")	BSP WELD NIPPLE HEX NUT ADAPTOR 150LB G316 (4F)	2.00

Weld Nipple Tri-ferrule Adapter – BSP

Grades: 316
Style: Tri Ferrule

Threads: BSP Taper
Rating: 150LB
Unit of Supply: Each



FPTWNF

Product Code	Grade	Product Size (mm)	Description	Weight ea (kg)
FPTWNF025NBG316150BSP	G316	025NB (1")	BSP WELD NIPPLE TRI-FERRULE ADAPTOR 150LB G316 (4F)	0.24
FPTWNF032NBG316150BSP	G316	032NB (1-1/4")	BSP WELD NIPPLE TRI-FERRULE ADAPTOR 150LB G316 (4F)	0.35
FPTWNF040NBG316150BSP	G316	040NB (1-1/2")	BSP WELD NIPPLE TRI-FERRULE ADAPTOR 150LB G316 (4F)	0.55
FPTWNF050NBG316150BSP	G316	050NB (2")	BSP WELD NIPPLE TRI-FERRULE ADAPTOR 150LB G316 (4F)	0.72
FPTWNF065NBG316150BSP	G316	065NB (2-1/2")	BSP WELD NIPPLE TRI-FERRULE ADAPTOR 150LB G316 (4F)	0.83
FPTWNF080NBG316150BSP	G316	080NB (3")	BSP WELD NIPPLE TRI-FERRULE ADAPTOR 150LB G316 (4F)	0.90
FPTWNF100NBG316150BSP	G316	100NB (4")	BSP WELD NIPPLE TRI-FERRULE ADAPTOR 150LB G316 (4F)	1.20

Low Pressure 150LB BSP/NPT Threaded Fittings

Weld Nipple Tube Adapter – BSP

Grades: 316
Style: Male

Threads: BSP Taper
Rating: 150LB
Unit of Supply: Each



FPTWNA

Product Code	Grade	Product Size (mm)	Description	Weight ea (kg)
FPTWNA020NBG316150BSP	G316	020NB (3/4")	BSP WELD NIPPLE TUBE ADAPTOR 150LB G316 (4F)	0.15
FPTWNA025NBG316150BSP	G316	025NB (1")	BSP WELD NIPPLE TUBE ADAPTOR 150LB G316 (4F)	0.20
FPTWNA032NBG316150BSP	G316	032NB (1-1/4")	BSP WELD NIPPLE TUBE ADAPTOR 150LB G316 (4F)	0.30
FPTWNA040NBG316150BSP	G316	040NB (1-1/2")	BSP WELD NIPPLE TUBE ADAPTOR 150LB G316 (4F)	0.50
FPTWNA050NBG316150BSP	G316	050NB (2")	BSP WELD NIPPLE TUBE ADAPTOR 150LB G316 (4F)	0.70
FPTWNA065NBG316150BSP	G316	065NB (2-1/2")	BSP WELD NIPPLE TUBE ADAPTOR 150LB G316 (4F)	0.80
FPTWNA080NBG316150BSP	G316	080NB (3")	BSP WELD NIPPLE TUBE ADAPTOR 150LB G316 (4F)	0.80
FPTWNA100NBG316150BSP	G316	100NB (4")	BSP WELD NIPPLE TUBE ADAPTOR 150LB G316 (4F)	1.00