

Threaded Fittings BSP/NPT

ASTM A182 3000LB / ASME B16.11 6000LB / BS 3799

Material: ASTM 316 / G316L

Taper threads.

90° Elbow (F/F)

Grades: 304L, 316L
Style: Female/Female

Threads: BSP, NPT Taper
Rating: 3000LB
Unit of Supply: Each



FPTEF

Product Code	Grade	Thread Type	Product Size (mm)	Description	Weight ea (kg)
FPTEF015NB90DG316L3000BSP	G316L	BSP	015NB (1/2")	BSP ELBOW 90DEG F/F 3000LB G316L	0.40
FPTEF020NB90DG316L3000BSP	G316L	BSP	020NB (3/4")	BSP ELBOW 90DEG F/F 3000LB G316L	0.63
FPTEF025NB90DG316L3000BSP	G316L	BSP	025NB (1")	BSP ELBOW 90DEG F/F 3000LB G316L	1.10
FPTEF040NB90DG316L3000BSP	G316L	BSP	040NB (1-1/2")	BSP ELBOW 90DEG F/F 3000LB G316L	2.35
FPTEF050NB90DG316L3000BSP	G316L	BSP	050NB (2")	BSP ELBOW 90DEG F/F 3000LB G316L	3.30
FPTEF008NB90DG316L3000NPT	G316L	NPT	008NB (1/4")	NPT ELBOW 90DEG F/F 3000LB G316L	0.14
FPTEF010NB90DG316L3000NPT	G316L	NPT	010NB (3/8")	NPT ELBOW 90DEG F/F 3000LB G316L	0.27
FPTEF015NB90DG316L3000NPT	G316L	NPT	015NB (1/2")	NPT ELBOW 90DEG F/F 3000LB G316L	0.40
FPTEF020NB90DG316L3000NPT	G316L	NPT	020NB (3/4")	NPT ELBOW 90DEG F/F 3000LB G316L	0.63
FPTEF025NB90DG316L3000NPT	G316L	NPT	025NB (1")	NPT ELBOW 90DEG F/F 3000LB G316L	1.10
FPTEF032NB90DG304F3000NPT	G304L	NPT	032NB (1-1/4")	NPT ELBOW 90DEG F/F 3000LB G304	1.22
FPTEF032NB90DG316L3000NPT	G316L	NPT	032NB (1-1/4")	NPT ELBOW 90DEG F/F 3000LB G316L	1.22
FPTEF040NB90DG316L3000NPT	G316L	NPT	040NB (1-1/2")	NPT ELBOW 90DEG F/F 3000LB G316L	2.35
FPTEF050NB90DG316L3000NPT	G316L	NPT	050NB (2")	NPT ELBOW 90DEG F/F 3000LB G316L	3.30

90° Street Elbow (M/F)

Grades: 316L
Style: Male/Female

Threads: BSP Taper
Rating: 3000LB
Unit of Supply: Each



FPTES

Product Code	Grade	Thread Type	Product Size (mm)	Description	Weight ea (kg)
FPTES015NB90DG316L3000BSP	G316L	BSP	015NB (1/2")	BSP STREET ELBOW 90DEG M/F 3000LB G316L	0.40
FPTES020NB90DG316L3000BSP	G316L	BSP	020NB (3/4")	BSP STREET ELBOW 90DEG M/F 3000LB G316L	0.63

Threaded Fittings BSP/NPT

ASTM A182 3000LB / ASME B16.11 6000LB / BS 3799

Material: ASTM 316 / G316L

Tee

Grades: 316L
Style: Female/Female

Threads: BSP, NPT Taper
Rating: 3000LB
Unit of Supply: Each



FPTEE

Product Code	Grade	Thread Style	Product Size (mm)	Description	Weight ea (kg)
FPTEE015NBG316L3000BSP	G316L	BSP	015NB (1/2")	BSP TEE 3000LB G316L	0.52
FPTEE020NBG316L3000BSP	G316L	BSP	020NB (3/4")	BSP TEE 3000LB G316L	0.83
FPTEE025NBG316L3000BSP	G316L	BSP	025NB (1")	BSP TEE 3000LB G316L	1.38
FPTEE008NBG316L3000NPT	G316L	NPT	008NB (1/4")	NPT TEE 3000LB G316L	0.19
FPTEE010NBG316L3000NPT	G316L	NPT	010NB (3/8")	NPT TEE 3000LB G316L	0.39
FPTEE015NBG316L3000NPT	G316L	NPT	015NB (1/2")	NPT TEE 3000LB G316L	0.52
FPTEE020NBG316L3000NPT	G316L	NPT	020NB (3/4")	NPT TEE 3000LB G316L	0.83
FPTEE025NBG316L3000NPT	G316L	NPT	025NB (1")	NPT TEE 3000LB G316L	1.38
FPTEE032NBG316L3000NPT	G316L	NPT	032NB (1-1/4")	NPT TEE 3000LB G316L	1.66
FPTEE040NBG316L3000NPT	G316L	NPT	040NB (1-1/2")	NPT TEE 3000LB G316L	3.12
FPTEE050NBG316L3000NPT	G316L	NPT	050NB (2")	NPT TEE 3000LB G316L	4.00

Reducing Hex Nipple

Grades: 316L
Style: Male/Male

Threads: BSP, NPT Taper
Rating: 3000LB
Unit of Supply: Each



FPTRN

Product Code	Grade	Thread Style	Product Size (mm)	Description	Weight ea (kg)
FPTRN020015NBG316L3000BSP	G316L	BSP	020NB x 015NB (3/4" x 1/2")	BSP REDUCING HEX NIPPLE 3000LB G316L	0.15
FPTRN025015NBG316L3000BSP	G316L	BSP	025NB x 015NB (1" x 1/2")	BSP REDUCING HEX NIPPLE 3000LB G316L	0.27
FPTRN025020NBG316L3000BSP	G316L	BSP	025NB x 020NB (1" x 3/4")	BSP REDUCING HEX NIPPLE 3000LB G316L	0.27
FPTRN050025NBG316L3000BSP	G316L	BSP	050NB x 025NB (2" x 1")	BSP REDUCING HEX NIPPLE 3000LB G316L	1.00
FPTRN050040NBG316L3000BSP	G316L	BSP	050NB x 040NB (2" x 1-1/2")	BSP REDUCING HEX NIPPLE 3000LB G316L	1.00
FPTRN020015NBG316L3000NPT	G316L	NPT	020NB x 015NB (3/4" x 1/2")	NPT REDUCING HEX NIPPLE 3000LB G316L	0.12
FPTRN025020NBG316L3000NPT	G316L	NPT	025NB x 020NB (1" x 3/4")	NPT REDUCING HEX NIPPLE 3000LB G316L	0.17
FPTRN040025NBG316L3000NPT	G316L	NPT	040NB x 025NB (1-1/2" x 1")	NPT REDUCING HEX NIPPLE 3000LB G316L	0.34
FPTRN050040NBG316L3000NPT	G316L	NPT	050NB x 040NB (2" x 1-1/2")	NPT REDUCING HEX NIPPLE 3000LB G316L	0.55

Threaded Fittings BSP/NPT

ASTM A182 3000LB / ASME B16.11 6000LB / BS 3799

Material: ASTM 316 / G316L

Full Coupling

Grades: 316L
Style: Female/Female

Threads: BSP, NPT Taper
Rating: 3000LB
Unit of Supply: Each



FPTCO

Product Code	Grade	Thread Style	Product Size (mm)	Description	Weight ea (kg)
FPTCO008NBG316L3000BSP	G316L	BSP	008NB (1/4")	BSP FULL COUPLING 3000LB G316L	0.05
FPTCO010NBG316L3000BSP	G316L	BSP	010NB (3/8")	BSP FULL COUPLING 3000LB G316L	0.06
FPTCO015NBG316L3000BSP	G316L	BSP	015NB (1/2")	BSP FULL COUPLING 3000LB G316L	0.14
FPTCO020NBG316L3000BSP	G316L	BSP	020NB (3/4")	BSP FULL COUPLING 3000LB G316L	0.20
FPTCO025NBG316L3000BSP	G316L	BSP	025NB (1")	BSP FULL COUPLING 3000LB G316L	0.40
FPTCO032NBG316L3000BSP	G316L	BSP	032NB (1-1/4")	BSP FULL COUPLING 3000LB G316L	0.80
FPTCO040NBG316L3000BSP	G316L	BSP	040NB (1-1/2")	BSP FULL COUPLING 3000LB G316L	1.02
FPTCO050NBG316L3000BSP	G316L	BSP	050NB (2")	BSP FULL COUPLING 3000LB G316L	1.90
FPTCO080NBG316L3000BSP	G316L	BSP	080NB (3")	BSP FULL COUPLING 3000LB G316L	1.90
FPTCO008NBG316L3000NPT	G316L	NPT	008NB (1/4")	NPT FULL COUPLING 3000LB G316L	0.05
FPTCO010NBG316L3000NPT	G316L	NPT	010NB (3/8")	NPT FULL COUPLING 3000LB G316L	0.06
FPTCO015NBG316L3000NPT	G316L	NPT	015NB (1/2")	NPT FULL COUPLING 3000LB G316L	0.14
FPTCO020NBG316L3000NPT	G316L	NPT	020NB (3/4")	NPT FULL COUPLING 3000LB G316L	0.20
FPTCO025NBG316L3000NPT	G316L	NPT	025NB (1")	NPT FULL COUPLING 3000LB G316L	0.40
FPTCO032NBG316L3000NPT	G316L	NPT	032NB (1-1/4")	NPT FULL COUPLING 3000LB G316L	0.70
FPTCO040NBG316L3000NPT	G316L	NPT	040NB (1-1/2")	NPT FULL COUPLING 3000LB G316L	1.03
FPTCO050NBG316L3000NPT	G316L	NPT	050NB (2")	NPT FULL COUPLING 3000LB G316L	1.90

Half Coupling

Grades: 316L
Style: Female/Female

Threads: NPT Taper
Rating: 3000LB
Unit of Supply: Each



FPTCH

Product Code	Grade	Thread Style	Product Size (mm)	Description	Weight ea (kg)
FPTCH008NBG316L3000NPT	G316L	NPT	008NB (1/4")	NPT HALF COUPLING 3000LB G316L	0.03
FPTCH010NBG316L3000NPT	G316L	NPT	010NB (3/8")	NPT HALF COUPLING 3000LB G316L	0.05
FPTCH015NBG316L3000NPT	G316L	NPT	015NB (1/2")	NPT HALF COUPLING 3000LB G316L	0.07
FPTCH020NBG316L3000NPT	G316L	NPT	020NB (3/4")	NPT HALF COUPLING 3000LB G316L	0.10
FPTCH025NBG316L3000NPT	G316L	NPT	025NB (1")	NPT HALF COUPLING 3000LB G316L	0.20
FPTCH032NBG316L3000NPT	G316L	NPT	032NB (1-1/4")	NPT HALF COUPLING 3000LB G316L	0.32
FPTCH040NBG316L3000NPT	G316L	NPT	040NB (1-1/2")	NPT HALF COUPLING 3000LB G316L	0.50
FPTCH050NBG316L3000NPT	G316L	NPT	050NB (2")	NPT HALF COUPLING 3000LB G316L	0.95

Threaded Fittings BSP/NPT

ASTM A182 3000LB / ASME B16.11 6000LB / BS 3799

Material: ASTM 316 / G316L

Reducing Coupling

Grades: 316L
Style: Female/Female

Threads: NPT Taper
Rating: 3000LB
Unit of Supply: Each




FPTCR

Product Code	Grade	Thread Style	Product Size (mm)	Description	Weight ea (kg)
FPTCR020015NBG316L3000NPT	G316L	NPT	020NB x 015NB (3/4" x 1/2")	NPT REDUCING COUPLING 3000LB G316L	0.20
FPTCR025020NBG316L3000NPT	G316L	NPT	025NB x 020NB (1" x 3/4")	NPT REDUCING COUPLING 3000LB G316L	0.40
FPTCR040025NBG316L3000NPT	G316L	NPT	040NB x 025NB (1-1/2" x 1")	NPT REDUCING COUPLING 3000LB G316L	1.00
FPTCR050040NBG316L3000NPT	G316L	NPT	050NB x 040NB (2" x 1-1/2")	NPT REDUCING COUPLING 3000LB G316L	1.90

Hex Plug

Grades: 316L
Style: Male

Threads: NPT Taper
Rating: 6000LB
Unit of Supply: Each



FPTHP

Product Code	Grade	Thread Style	Product Size (mm)	Description	Weight ea (kg)
FPTHP008NBG316L6000NPT	G316L	NPT	008NB (1/4")	NPT HEX PLUG 6000LB G316L	0.03
FPTHP010NBG316L6000NPT	G316L	NPT	010NB (3/8")	NPT HEX PLUG 6000LB G316L	0.05
FPTHP015NBG316L6000NPT	G316L	NPT	015NB (1/2")	NPT HEX PLUG 6000LB G316L	0.08
FPTHP020NBG316L6000NPT	G316L	NPT	020NB (3/4")	NPT HEX PLUG 6000LB G316L	0.15
FPTHP025NBG316L6000NPT	G316L	NPT	025NB (1")	NPT HEX PLUG 6000LB G316L	0.25
FPTHP032NBG316L6000NPT	G316L	NPT	032NB (1-1/4")	NPT HEX PLUG 6000LB G316L	0.50
FPTHP040NBG316L6000NPT	G316L	NPT	040NB (1-1/2")	NPT HEX PLUG 6000LB G316L	0.65
FPTHP050NBG316L6000NPT	G316L	NPT	050NB (2")	NPT HEX PLUG 6000LB G316L	1.10

Hex Reducing Bushes

Grades: 316L
Style: Male/Female

Threads: BSP, NPT Taper
Rating: 3000LB
Unit of Supply: Each



FPTBU

Product Code	Grade	Thread Style	Product Size (mm)	Description	Weight ea (kg)
FPTBU015008NBG316L3000BSP	G316L	BSP	015NB x 008NB (1/2" x 1/4")	BSP REDUCING BUSH 3000LB G316L	0.10
FPTBU020015NBG316L3000BSP	G316L	BSP	020NB x 015NB (3/4" x 1/2")	BSP REDUCING BUSH 3000LB G316L	0.10
FPTBU025015NBG316L3000BSP	G316L	BSP	025NB x 015NB (1" x 1/2")	BSP REDUCING BUSH 3000LB G316L	0.13
FPTBU025020NBG316L3000BSP	G316L	BSP	025NB x 020NB (1" x 3/4")	BSP REDUCING BUSH 3000LB G316L	0.14
FPTBU040025NBG316L3000BSP	G316L	BSP	040NB x 025NB (1-1/2" x 1")	BSP REDUCING BUSH 3000LB G316L	0.35
FPTBU050040NBG316L3000BSP	G316L	BSP	050NB x 040NB (2" x 1-1/2")	BSP REDUCING BUSH 3000LB G316L	0.60
FPTBU032025NBG316L3000NPT	G316L	NPT	032NB x 025NB (1-1/4" x 1")	NPT REDUCING BUSH 3000LB G316L	0.32
FPTBU040032NBG316L3000NPT	G316L	NPT	040NB x 032NB (1-1/2" x 1-1/4")	NPT REDUCING BUSH 3000LB G316L	0.35
FPTBU050025NBG316L3000NPT	G316L	NPT	050NB x 025NB (2" x 1")	NPT REDUCING BUSH 3000LB G316L	0.60

Threaded Fittings BSP/NPT

ASTM A182 3000LB / ASME B16.11 6000LB / BS 3799

Material: ASTM 316 / G316L

3-Piece Union

Grades: 316L
Style: Female/Female

Threads: BSP, NPT Taper
Rating: 3000LB
Unit of Supply: Each



FPTUN

Product Code	Grade	Thread Style	Product Size (mm)	Description	Weight ea (kg)
FPTUN015NBG316L3000BSP	G316L	BSP	015NB (1/2")	BSP UNION 3000LB G316L	0.40
FPTUN020NBG316L3000BSP	G316L	BSP	020NB (3/4")	BSP UNION 3000LB G316L	0.50
FPTUN025NBG316L3000BSP	G316L	BSP	025NB (1")	BSP UNION 3000LB G316L	0.70
FPTUN040NBG316L3000BSP	G316L	BSP	040NB (1-1/2")	BSP UNION 3000LB G316L	1.60
FPTUN050NBG316L3000BSP	G316L	BSP	050NB (2")	BSP UNION 3000LB G316L	2.50
FPTUN015NBG316L3000NPT	G316L	NPT	015NB (1/2")	NPT UNION 3000LB G316L	0.40
FPTUN020NBG316L3000NPT	G316L	NPT	020NB (3/4")	NPT UNION 3000LB G316L	0.50
FPTUN025NBG316L3000NPT	G316L	NPT	025NB (1")	NPT UNION 3000LB G316L	0.70
FPTUN032NBG316L3000NPT	G316L	NPT	032NB (1-1/4")	NPT UNION 3000LB G316L	1.45
FPTUN040NBG316L3000NPT	G316L	NPT	040NB (1-1/2")	NPT UNION 3000LB G316L	1.60
FPTUN050NBG316L3000NPT	G316L	NPT	050NB (2")	NPT UNION 3000LB G316L	2.50

Hex Equal Nipple

Grades: 316L
Style: Male/Male

Threads: BSP, NPT Taper
Rating: 3000LB
Unit of Supply: Each



FPTHN

Product Code	Grade	Thread Style	Product Size (mm)	Description	Weight ea (kg)
FPTHN015NBG316L3000BSP	G316L	BSP	015NB (1/2")	BSP HEX NIPPLE 3000LB G316L	0.09
FPTHN020NBG316L3000BSP	G316L	BSP	020NB (3/4")	BSP HEX NIPPLE 3000LB G316L	0.12
FPTHN025NBG316L3000BSP	G316L	BSP	025NB (1")	BSP HEX NIPPLE 3000LB G316L	0.17
FPTHN040NBG316L3000BSP	G316L	BSP	040NB (1-1/2")	BSP HEX NIPPLE 3000LB G316L	0.34
FPTHN050NBG316L3000BSP	G316L	BSP	050NB (2")	BSP HEX NIPPLE 3000LB G316L	0.55
FPTHN010NBG316L3000NPT	G316L	NPT	010NB (3/8")	NPT HEX NIPPLE 3000LB G316L	0.06
FPTHN015NBG316L3000NPT	G316L	NPT	015NB (1/2")	NPT HEX NIPPLE 3000LB G316L	0.09
FPTHN020NBG316L3000NPT	G316L	NPT	020NB (3/4")	NPT HEX NIPPLE 3000LB G316L	0.12
FPTHN025NBG316L3000NPT	G316L	NPT	025NB (1")	NPT HEX NIPPLE 3000LB G316L	0.17
FPTHN032NBG316L3000NPT	G316L	NPT	032NB (1-1/4")	NPT HEX NIPPLE 3000LB G316L	0.29
FPTHN040NBG316L3000NPT	G316L	NPT	040NB (1-1/2")	NPT HEX NIPPLE 3000LB G316L	0.34
FPTHN050NBG316L3000NPT	G316L	NPT	050NB (2")	NPT HEX NIPPLE 3000LB G316L	0.55